



Goat anti-MSI2 / musashi-2 Antibody

Item Number dAP-3177

Target Molecule Principle Name: MSI2 / musashi-2; Official Symbol: MSI2; All Names and Symbols: MSI2; musashi RNA-

binding protein 2; MSI2H; RNA-binding protein Musashi homolog 2; musashi homolog 2; musashi-2; Accession Number (s): NP_620412.1; Human Gene ID(s): 124540; Non-Human GeneID(s): 76626 (mouse)

Immunogen QGTSGSANDSQHD, is from N Terminus

This antibody is expected to recognize isoform a (NP 620412.1) only.

Applications Pep ELISA, WB

Species Tested: Human, Mouse

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

Supplied As lyophilized powder of 50ug or 100ug IgG; Reconsititute IgG with 100ul or 200ul sterile DI Water and final

product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum

Aliquot and store at -20°C. Minimize freezing and thawing.

Peptide ELISA: antibody detection limit dilution 1 to 128000. Peptide ELISA

Western Blot: Approx 37kDa band observed in lysates of cell line Kelly (calculated MW of 35.2kDa accord-Western Blot

ing to NP 620412.1). Approx 35+37kDa bands observed in fetal Mouse Brain lysates (calculated MW of

36.9kDa according to NP_473384.1). Recommended conc

IHC

Reference(s): Sakakibara S, Nakamura Y, Satoh H, Okano H. Rna-binding protein Musashi2: developmen-Reference

tally regulated expression in neural precursor cells and subpopulations of neurons in mammalian CNS. The Journal of neuroscience: the official journal of the Society for Neuroscience 2001 Oct 21 (20): 8091-

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for Research Use Only