

Rabbit anti NF-kB P65 (pSer468)

Catalog Number: pAP11013

Amount: 100µl (for 10 Western Blotting)

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl,

0.02% sodium azide and 50% glycerol.

Storage/Stability: Store at -20°C/1 year

Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human

NF- κ B around the phosphorylation site of serine 468 (L-A-S^P-V-D).

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatogramphy using non-phosphopeptide corresponding to the phosphorylation site.

Specificity/Sensitivity: NF-кВ p65 (phospho-Ser468) antibody detects endogenous levels of NF-кВ p65 only when


phosphorylated at serine 468.

Reactivity: Human, Mouse, Rat **Applications:** WB: 1:500~1:1000

Swiss-Prot No.: Q04206

References: Buss H, et al. (2004) J Biol Chem.

Schmitz ML, et al. (2004) Blood.



Western blot analysis of extracts using NF-kB p65 (phospho-Ser468) antibody (pAP11013).

For Research Use Only

Contact & Ordering Information: Angio-Proteomie, 11 Park Drive, Suite 12, Boston, MA 02215, USA. Fax: (480) 247-4337, angioproteomie@gmail.com