

Rabbit anti Stathmin-1 (pSer24)

Catalog Number: pAp11224

Amount: 100µl (for 10 Western Blotting)

Swiss-Prot No.: P16949

All Names: stathmin 1, LAG, LAP18, Leukemia-associated gene protein, Leukemia-associated

phosphoprotein p18, Metablastin, Oncoprotein 18, Op18, PR22, Phosphoprotein p19, Pr22

protein, Prosolin, STN1, pp17, pp19, stathmin

All Sites: Human: Ser24; Mouse: Ser24; Rat: Ser24

Form of Antibody: Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl,

0.02% sodium azide and 50% glycerol.

Storage/Stability: Store at -20 °C/1 year

Immunogen: The antiserum was produced against synthesized phosphopeptide derived from human

Stathmin 1 around the phosphorylation site of serine 24 (I-L-S^P-P-R).

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific phosphopeptide. The antibody against non-phosphopeptide was removed by chromatography using non-phosphopeptide corresponding to the phosphorylation site.

Specificity/Sensitivity: Stathmin 1 (phospho-Ser24) antibody detects endogenous levels of Stathmin 1 only when


phosphorylated at serine 24.

Reactivity: Human, Mouse, Rat

Applications: WB: 1:1000

References: Boehm M, et al. (2002) EMBO J 21(13): 3390-3401.

Vadlamudi RK, et al. (2005) Mol Cell Biol 25(9): 3726-3736. Zilfou JT, et al. (2001) Mol Cell Biol 21(12): 3974-3985.



Western blot analysis of extracts from Jurkat cells untreated or treated with PMA (1ng/ml, 15min), using Stathmin 1 (Ab-24) antibody (AP21217, Line 1 and 2) and Stathmin 1 (phospho-Ser24) antibody (pAp11224, Line 3 and 4).

For Research Use Only

Contact & Ordering Information: Angio-Proteomie, 11 Park Drive, Suite 12, Boston, MA 02215, USA. Fax: (480) 247-4337, angioproteomie@gmail.com