



Interleukin-6 Human Recombinant, HEK

Item Number rAP-0493

Synonyms IFN-b2, B cell differentiation factor, BCDF, BSF-2, HPGF, HSF, MGI-2, B-cell stimulatory factor 2, Interfer-

on beta-2, Hybridoma growth factor, CTL differentiation factor, CDF, IL-6, HGF.

DescriptionIL-6 Human Recombinant produced in HEK cells is a glycosylated monomer, having a molecular weight

range of 26-30kDa due to glycosylation. The IL6 is purified by proprietary chromatographic techniques.

Uniprot Accesion Number P05231

Amino Acid Sequence

Source HEK.

Physical Appearance and Stability

Sterile Filtered White lyophilized (freeze-dried) powder. Lyophilized IL-6 although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution IL6 should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to

add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

Formulation and Purity The IL6 was lyophilized from 1mg/ml in 1xPBS. Greater than 95% as obsereved by SDS-PAGE.

Application

Solubility It is recommended to reconstitute the lyophilized IL-6 in sterile PBS containing 0.1% endotoxin-free recom-

binant HSA.

Biological Activity

The activity was determined by the dose dependent stimulation of the proliferation of human TF-1 cells

(human erythroleukemic indicator cell line) and is typically 0.2-1ng/ml.

Shipping Format and Condition Lyophilized powder at room temperature.

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for Research Use Only