

UC Davis/NIH NeuroMab Facility

Department of Physiology and Membrane Biology, UC Davis, Davis CA 95616 http://neuromab.ucdavis.edu neuromab@ucdavis.edu

Anti-GluN2B/NR2B glutamate receptor, NeuroMab clone N59/36

Immunogen:

Fusion protein amino acids 20-271 (extracellular N-terminus) of rat GluN2B/NR2B (also known as Glutamate/N-methyl D-aspartate/NMDA receptor subtype 2B or subunit epsilon 2, N-methyl-D-aspartate receptor subunit 3, NMDAR2B, NR3 and Grin2b, accession

number Q00960)

Mouse: 99% identity (250/252 amino acids identical) Human: 99% identity (250/252 amino acids identical)

<50% identity with GluN2A/NR2A, GluN2C/NR2C and GluN2D/NR2D

Monoclonal antibody info:

Mouse strain: Balb/C Myeloma cell: SP2/0

Mouse Ig Isotype: IgG2b (can be combined with PSD-95 NeuroMab K28/43

IgG2a in double labeling experiments)

NeuroMab Applications:

Immunoblotting, Immunocytochemistry, Immunohistochemistry and Immunoprecipitation

Species Reactivity: rat, mouse, human

Does not cross-react with GluN2A/NR2A, GluN2C/NR2C or GluN2D/NR2D (based on KO validation results)


MW: 166 kDa (note that the 148 kDa marker runs closer to ~180 kDa in our in-house gel system)

Top: immunoblot against rat brain membranes (RBM) and neuronal lysates from NR2B knockout (KO) and heterozygote (Het) mice. Samples courtesy of Ben Hall and Anirvan Ghosh (UCSD).

Second from the top: immunoblots on brain membranes prepared from whole rat (RBM) and mouse (MBM) brain, and from human cerebral cortex [HBM(Cx)] and hippocampus [HBM(H)].

Third from the top: cultured rat hippocampal neuron immunofluorescence. Image courtesy of Anthone Dunah (Harvard) and Morgan Sheng (MIT).

Bottom: adult rat hippocampus immunohistochemistry



NR2B I

250 148

