FBXO9 Antibody, FITC conjugated



PACO48796

Reactivity:

Rabbit

Isotype:

Product Information

Size: Protein Background:

50ug Substrate recognition component of a SCF (SKP1-CUL1-F-box protein) E3 ubiquitinprotein ligase complex which mediates the ubiquitination and subsequent proteasomal

degradation of TTI1 and TELO2 in a CK2-dependent manner, thereby directly regulating mTOR signaling. SCF(FBXO9) recognizes and binds mTORC1-bound TTI1 and TELO2

Human mTOR signaling. SCF(FBXO9) recognizes and binds mTORC1-bound TTT1 and TELO2 when they are phosphorylated by CK2 following growth factor deprivation, leading to their degradation. In contrast, the SCF(FBXO9) does not mediate ubiquitination of TTI1

and TELO2 when they are part of the mTORC2 complex. As a consequence, mTORC1 is

inactivated to restrain cell growth and protein translation, while mTORC2 is activated

due to the relief of feedback inhibition by mTORC1.

lgG Gene ID:

Applications: FBXO9

ELISA Uniprot

Q9UK97 **Recommended dilutions:**

Synonyms:

F-box only protein 9 (Cross-immune reaction antigen 1) (Renal carcinoma antigen NY-

REN-57), FBXO9, FBX9 VCIA1

Immunogen:

Recombinant Human F-box only protein 9 protein (13-111AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Product	Images
---------	---------------

N/A N/A