

Anti-Human/Mouse CD44 SAFIRE Purified

Catalog Number: 06511-25

RUO: For Research Use Only. Not for use in diagnostic procedures.

Product Information

Clone: IM7

Format/Conjugate: SAFIRE Purified

Concentration: 1 mg/mL **Reactivity:** Human, Mouse **Laser:** Not Applicable

Peak Emission: Not Applicable **Peak Excitation:** Not Applicable

Filter: Not Applicable

Brightness (1=dim,5=brightest): Not Applicable

Isotype: Rat IgG2b, kappa

Formulation: Phosphate-buffered aqueous solution, ph7.2.

Storage: Product should be kept at 2-8°C.

Applications: FC, FA

Description

The IM7 monoclonal antibody specifically reacts with all the isoforms and both alloantigens of the CD44 glycoprotein (Pgp-1, Ly-24). CD44 is expressed on hematopoietic and non-hematopoietic cells, bone marrow myeloid cells, memory T lymphocytes, periphery activated B cells, CD4+ T lymphocytes, and CD8+ T lymphocytes. The periphery B and T lymphocytes upregulate the expression of CD44. CD44 binds to hyaluronan molecules, acting as an adhesion molecule.

The IM7 antibody inhibits collagen-induced arthritis in DBA/1 mice, prevents central nervous system inflammation associated with experimental autoimmune encephalomyelitis, but exacerbates the experimental autoimmune thyroiditis in CBA/J mice.

The IM7 antibody also cross-reacts with dog, human, pig, horse, cat, and cow leukocytes.

Preparation & Storage

The product should be stored undiluted at 4° C. Do not freeze. The monoclonal antibody was purified utilizing affinitychromatography. The endotoxin level is determined by LAL test to be less than 0.01 EU/ μ g of the protein.

Application Notes

The antibody has been analyzed for quality through the flow cytometric analysis of the relevant cell type. It is recommended that the reagent be titrated for optimal performance for each application.

References

- 1. Trowbridge, I. S., Lesley, J., Schulte, R., Hyman, R., Trotter, J. (1982). Biochemical characterization and cellular distribution of a polymorphic, murine cell-surface glycoprotein expressed on lymphoid tissues.; Immunogenetics, 15(3), 299-312.
- 2. Lesley, J., Trowbridge, I. S. (1982). Genetic characterization of a polymorphic murine cell-surface glycoprotein.; Immunogenetics,; 15(3), 313-320.
- 3. Nedvetzki, S., Walmsley, M., Alpert, E., Williams, R. O., Feldmann, M., Naor, D. (1999). CD44 involvement in experimental collagen-induced arthritis (CIA).; Journal of autoimmunity,; 13(1), 39-47.