



CAU22190 Rat

Polyclonal Antibody to Triggering Receptor Expressed On Myeloid Cells 2 (TREM2)

Organism Species: *Rattus norvegicus (Rat)*

Instruction manual

FOR RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

12th Edition (Revised in Aug, 2016)



[PROPERTIES]

Source: Polyclonal antibody preparation

Host: Rabbit

Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Traits: Liquid

Concentration: 0.58mg/ml

UOM: 50 μ g(87 μ l)

Applications: WB; IHC; ICC; IP.

[IMMUNOGEN]

Immunogen: Recombinant TREM2 (Met1~Asp211 linked with CSSSTTTTTTTN) expressed in *E.coli*

Accession No.: RPG628Ra01

[APPLICATIONS]

Western blotting: 0.5-2 μ g/mL; 1:300-1200

Immunohistochemistry: 5-20 μ g/mL; 1:30-120

Immunocytochemistry: 5-20 μ g/mL; 1:30-120

Optimal working dilutions must be determined by end user.

[FORMULATION]

Form & Buffer: Supplied as solution form in 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 4°C for frequent use.

Aliquot and store at -20°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no



obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure. Western Blot; Sample:

Recombinant TREM2, Rat.

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.