

Anti-Interferon gamma Biotinylated IFNG Antibody

Catalog Number: A00393-Biotin

About IFNG


Interferon-gamma (IFN-gamma) is an inflammatory cytokine that has been implicated in the development of fibrosis in inflamed tissues. The production of IFN-gamma, which is under genetic control, can influence the development of fibrosis in lung allografts. IFN-gamma is also produced by natural killer (NK) cells and most prominently by CD8 cytotoxic T cells, and is vital for the control of microbial pathogens. Interferon gamma is believed to be crucial for host defence against many infections. Genetically determined variability in IFN-gamma and expression might be important for the development of tuberculosis. IFN-gamma activates human macrophage oxidative metabolism and antimicrobial activity. In addition to having antiviral activity, IFN-gamma has important immunoregulatory functions. IFN-gamma plays an important role in the control of neointima proliferation.

Overview

Product Name	Anti-Interferon gamma Biotinylated IFNG Antibody
Reactive Species	Rat
Description	Boster Bio Anti-Interferon gamma Biotinylated IFNG Antibody catalog # A00393-Biotin. Tested in ELISA applications. This antibody reacts with Rat.
Conjugate	Biotin
Application	ELISA
Clonality	Polyclonal
Formulation	Each vial contains 4mg Trehalose, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg NaN ₃ .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P01581

Technical Details

Immunogen	E. coli-derived rat Interferon gamma recombinant protein (Position: M1-C156).
Predicted Reactive Species	Bovine
Recommended Detection Systems	Boster provides a series of assays reacted with primary antibodies.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Rabbit IgG





BOSTER
antibody and ELISA experts

Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: ELISA Detection (Matched Antibody Pair), 0.1-0.5ug/ml



Anti-Interferon gamma Biotinylated IFNG Antibody (A00393-Biotin) Images



Boster Kit Box

3 Publications Citing This Product

- 1. PubMed ID: 26222793, Somatostatin Improved B Cells Mature in Macaques during Intestinal Ischemia-Reperfusion
- 2. PubMed ID: 25483698, Yan X, Wang D, Liang F, Fu L, Guo C. Hum Vaccin Immunother. 2014;10(12):3491-8. Doi: 10.4161/Hv.36084. Hpv16L1-Attenuated Shigella Recombinant Vaccine Induced Strong Vaginal And Systemic Immune Responses In Guinea Pig Model.
- 3. PubMed ID: 24798997, Somatostatin Inhibits the Production of Interferon-? by Intestinal Epithelial Cells During Intestinal Ischemia? Reperfusion in Macaques

 $Visit \, \underline{bosterbio.com/anti-interferon-gamma-biotinylated-antibody-a00393-biotin-boster.html} \, to \, see \, all \, 3 \, publications.$

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Interferon gamma Biotinylated IFNG Antibody