

# **Anti-PDX1 Antibody**

Catalog Number: A00491-1

#### **About PDX1**

This antibody is suitable for Cancer, Immunology and Nuclear Signaling research. Fibroblast Activation Protein (FAP) is expressed in the stroma of sites that are undergoing wound healing. In addition, it has recently been reported that FAP is expressed in the stroma of sites of metastatic disease. Inhibition of FAP may lead to a dramatic decrease in the number of metastatic osteosarcoma lung nodules. FAP exists as an inactive monomer and when activated forms homodimers or heterodimers with DPP4. Multiple isoforms of FAP are reported as alternative splicing products from a common gene.

#### Overview

Product Name	Anti-PDX1 Antibody
Reactive Species	Human
Description	Boster Bio Anti-PDX1 Antibody catalog # A00491-1. Tested in WB,IHC,ICC/IF applications. This antibody reacts with Human.
Application	IF, IHC, ICC, WB
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P52945

#### **Technical Details**

Immunogen	Recombinant full length Human PDX1.
Predicted Reactive Species	Canine, Monkey
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	ProA affinity purified
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.  If the expected range of concentration is unknown, a pilot test should be conducted to decide the



# BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

optimal dilution ratio for your samples.

Some PubMed article(s) citing the expression level of this target are as follows:

Boster Bio's internal QC testing used:

IHC: 1:50-1:200 ICC/IF: 1:50-1:200

WB: 1:500



## Anti-PDX1 Antibody (A00491-1) Images




Figure 2. Immunofluorescent staining data of PDX1 using Anti-PDX1 Antibody (A00491-1).

IF analysis of paraffin-embedded human pancreas tissue using anti-PDX1 antibody (green. The nuclear counter stain is DAPI (blue).




Figure 1. Immunohistochemistry validation of PDX1 using Anti-PDX1 Antibody (A00491-1).

Immunohistochemical analysis of paraffin-embedded human pancreas tissue using anti-PDX1 antibody. Counter stained with hematoxylin.

For more protocol information of IHC

### Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-PDX1 Antibody