

Anti-Phospho-PKC delta (T507) PRKCD Antibody

Catalog Number: A00822T507

About PRKCD

Collagen type III occurs in most soft connective tissues along with type I collagen. Involved in regulation of cortical development. Is the major ligand of GPR56 in the developing brain and binding to GPR56 inhibits neuronal migration and activates the RhoA pathway by coupling GPR56 to GNA13 and possibly GNA12.

Arja Lamberg, J. Biol. Chem., May 1996; 271: 11988.

GW Conrad, J. Cell Biol., Mar 1980; 84: 501.

DR Keene, J. Cell Biol., Nov 1987; 105: 2393.

HM Wang, J. Histochem. Cytochem., Nov 1980; 28: 1215.

Overview

Product Name	Anti-Phospho-PKC delta (T507) PRKCD Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Phospho-PKC delta (T507) PRKCD Antibody catalog # A00822T507. Tested in ELISA, IHC, WB applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, IHC, WB
Clonality	Polyclonal
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q05655

Technical Details

Immunogen	Synthesized peptide derived from human PKC delta around the phosphorylation site of T507.
Immunogen	Synthesized peptide derived from human FRC derita around the phosphorylation site of 1507.
Predicted Reactive Species	Boar, Bovine, Canine, Golden Hamster
Cross Reactivity	No cross reactivity with other proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml





888-466-3604 | support@bosterbio.com | www.bosterbio.com

Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:20000



Anti-Phospho-PKC delta (T507) PRKCD Antibody (A00822T507) Images




Figure 1. Western blotting validation for Anti-Phospho-PKC delta (T507) PRKCD Antibody A00822T507

Western Blot (WB) analysis of 3T3 cells using Phospho-PKC delta (T507) polyclonal antibody. Electrophoresis was performed on a SDS-PAGE gel. To determine SDS-PAGE gel concentration

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Phospho-PKC delta (T507) PRKCD Antibody