

# **Anti-IL-27 Antibody**

Catalog Number: A00857-3

### **About IL27**

Like interleukin-23 (IL-23), IL-27 is a recently discovered member of the IL-6/IL-12 family of proinflammatory and immunoregulatory cytokines. It exists as a heterodimer composed of the p40-related protein EBI3 and an IL-12 p35-related protein termed p28. IL-27 is produced after activation by antigen-presenting cells and induces proliferation of naïve but not memory CD4+ T-cells. It acts by binding to its receptor WSX-1 and gp130 which results in the activation of a Jak/STAT signaling cascade, suggesting the IL-27 is involved in the regulation of immune processes. It has been suggested that IL-27 can also be used as a therapeutic agent against cancer as it can also induce tumor-specific anti-tumor activity mediated through CD8+ T-cells, IFN-gamma, and T-bet.

### Overview

Product Name	Anti-IL-27 Antibody
Reactive Species	Human, Mouse
Description	Boster Bio Anti-IL-27 Antibody (Catalog # A00857-3). Tested in ELISA, WB, ICC applications. This antibody reacts with Human, Mouse.
Application	ELISA, ICC, WB
Clonality	Polyclonal
Formulation	IL-27 Antibody is supplied in PBS containing 0.02% sodium azide.
Storage Instructions	IL-27 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. Avoid repeated freeze-thaw cycles. Antibodies should not be exposed to prolonged high temperatures.
Host	Rabbit
Uniprot ID	Q8NEV9

### **Technical Details**

Immunogen	Anti-IL-27 antibody was raised against a peptide corresponding to 16 amino acids near the amino terminus of human IL-27. The immunogen is located within the first 50 amino acids of IL-27.
Predicted Reactive Species	Rat
Cross Reactivity	This LGI1 antibody is predicted to be specific to LGI1 and not recognize other LGI proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/mL






888-466-3604 | support@bosterbio.com | www.bosterbio.com

Purification	IL-27 Antibody is affinity chromatography purified via peptide column.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.  If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.  Some PubMed article(s) citing the expression level of this target are as follows:  Boster Bio's internal QC testing used:  WB: 0.5 - 4 ug/mL; ICC: 10 ug/mL.  Antibody validated: Western Blot in human and mouse samples; Immunocytochemistry in mouse samples. All other applications and species not yet tested. Optimal dilutions for each application should be determined by the researcher.




## Anti-IL-27 Antibody (A00857-3) Images




#### Western Blot Validation in Mouse A20 Cells

Loading: 15 ug of lysates per lane.Antibodies: IL-27 A00857-3, (A: 1 ug/mL, B: 2 ug/mL), 1h incubation at RT in 5% NFDM/TBST.Secondary: Goat anti-rabbit lgG HRP conjugate at 1:10000 dilution.




# Independent Antibody Validation (IAV) via Protein Expression Profile in Cell Lines

Loading: 15  $\mu$ g of lysates per lane.Antibodies: IL-27 A00857-3 (4 ug/mL), IL-27 (4 ug/mL), and beta-actin (1 ug/mL), 1h incubation at RT in 5% NFDM/TBST.Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10000 dilution.



#### **Recombinant Protein Validation**

Loading: 30 ng of human recombinant IL-17 (IL-17A+IL-17B) protein per lane. Antibodies: IL-27 A00857-3, 1h incubation at RT in 5% NFDM/TBST. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:10000 dilution.Lane 1: 0.5 ug/mL, Lane 2: 1 ug/mL, Lane 3: 2 ug/mL



# Immunocytochemistry Validation of IL-27 in Mouse EL4 Cells

Immunocytochemical analysis of Mouse EL4 cells using anti-IL-27 antibody (A00857-3) at 10 ug/ml. Cells was fixed with formaldehyde and blocked with 10% serum for 1 h at RT; antigen retrieval was by heat mediation with a citrate buffer (pH6). Samples were incubated with primary antibody overnight at  $4\,^{\circ}\text{C}$ . A goat anti-rabbit IgG H&L (HRP) at 1/250 was used as secondary. Counter stained with Hematoxylin.

## Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.