

Anti-IkB-Alpha (phospho-S32/S36) NFKBIA Antibody

Catalog Number: A01139S32S36

About NFKBIA

This protein mediates the voltage-dependent sodium ion permeability of excitable membranes. Assuming opened or closed conformations in response to the voltage difference across the membrane, the protein forms a sodium-selective channel through which Na⁺ ions may pass in accordance with their electrochemical gradient. This sodium channel may be present in both denervated and innervated skeletal muscle.

George A.L. Jr., Ann. Neurol. 31:131-137(1992).

Wang J., Biochem. Biophys. Res. Commun. 182:794-801(1992).

Tsujino A., Proc. Natl. Acad. Sci. U.S.A. 100:7377-7382(2003).

Overview


Product Name	Anti-IkB-Alpha (phospho-S32/S36) NFKBIA Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-IkB-Alpha (phospho-S32/S36) NFKBIA Antibody catalog # A01139S32S36. Tested in WB,IHC,IF applications. This antibody reacts with Human,Mouse,Rat.
Application	IF, IHC, WB
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P25963

Technical Details


Immunogen	Synthesized peptide derived from internal of human SCN4A.
Predicted Reactive Species	Boar, Bovine, Canine, Golden Hamster
Cross Reactivity	No cross reactivity with other proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml

Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB: 1:500-1:1000 IHC: 1:50-1:200 IF: 1:50-1:200

Anti-IkB-Alpha (phospho-S32/S36) NFKBIA Antibody (A01139S32S36) Images



Immunohistochemistry (IHC) analyzes of p-IkB-alpha (S32/S36) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.



Western blot (WB) analysis of p-IkB-alpha (S32/S36) pAb at 1:500 dilution Lane1:HepG2 whole cell lysate(40ug)
Lane2:MCF-7 whole cell lysate(40ug) Lane3:A549 whole cell lysate(40ug) Lane4:PC12 whole cell lysate(40ug)
Lane5:3T3-L1 whole cell lysate(40ug)

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-IkB-Alpha (phospho-S32/S36) NFKBIA Antibody