

# **Anti-ADP-ribosylation factor 1 ARF1 Antibody**

Catalog Number: A01279

### **About ARF1**

Key calcium ion sensor involved in the Ca2+-triggered synaptic vesicle-plasma membrane fusion. Plays a role in the sarcolemma repair mechanism of both skeletal muscle and cardiomyocytes that permits rapid resealing of membranes disrupted by mechanical stress By similarity.

Delia J. Hern"¢ndez-Deviez, Hum. Mol. Genet., Jan 2006; 15: 129 - 142. Yanchao Huang, FASEB J, Mar 2007; 21: 732 - 742. Mengfatt Ho, Hum. Mol. Genet., Sep 2004; 13: 1999 - 2010. Eriko Fujita, Hum. Mol. Genet., Mar 2007; 16: 618 - 629.

#### Overview

| Product Name         | Anti-ADP-ribosylation factor 1 ARF1 Antibody   |
|----------------------|--|
| Reactive Species     | Human, Mouse, Rat  |
| Description          | Boster Bio Anti-ADP-ribosylation factor 1 ARF1 Antibody catalog # A01279. Tested in WB,IF applications. This antibody reacts with Human,Mouse,Rat. |
| Application          | IF, WB   |
| Clonality            | Polyclonal   |
| Formulation          | Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2   |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.         |
| Host                 | Rabbit   |
| Uniprot ID           | P84077   |

## **Technical Details**

| Immunogen                  | Synthesized peptide derived from human Tie-2 around the phosphorylation site of Y992. |
|----------------------------|---|
| Predicted Reactive Species | Boar, Bovine, Canine, Golden Hamster  |
| Cross Reactivity           | No cross reactivity with other proteins.  |
| Isotype                    | IgG   |
| Form                       | Liquid  |
| Concentration              | 1 mg/ml   |
|                            |   |





888-466-3604 | support@bosterbio.com | www.bosterbio.com

| Purification        | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).  |
|---------------------|--|
| Suggested Dilutions | Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.  If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.  Some PubMed article(s) citing the expression level of this target are as follows:  Boster Bio's internal QC testing used:  WB: 1:500-1:2000  IF: 1:50-1:200 |



# Anti-ADP-ribosylation factor 1 ARF1 Antibody (A01279) Images




Figure 1. Western blotting validation for Anti-ADP-ribosylation factor 1 ARF1 Antibody A01279

Western blot analysis of extracts of various cells

# Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-ADP-ribosylation factor 1 ARF1 Antibody