

Anti-Serum amyloid A-1 protein SAA1 Antibody

Catalog Number: A01362-1

About SAA1

Regulatory subunit for CDC7 which activates its kinase activity thereby playing a central role in DNA replication and cell proliferation. Required for progression of S phase. The complex CDC7-DBF4A selectively phosphorylates MCM2 subunit at 'Ser-40' and 'Ser-53' and then is involved in regulating the initiation of DNA replication during cell cycle.

Kumagai H., Mol. Cell. Biol. 19:5083-5095(1999). Jiang W., EMBO J. 18:5703-5713(1999). Ota T., Nat. Genet. 36:40-45(2004).

Overview

| Product Name | Anti-Serum amyloid A-1 protein SAA1 Antibody |
|----------------------|---|
| Reactive Species | Human, Mouse |
| Description | Boster Bio Anti-Serum amyloid A-1 protein SAA1 Antibody catalog # A01362-1. Tested in ELISA, WB applications. This antibody reacts with Human, Mouse. |
| Application | ELISA, WB |
| Clonality | Polyclonal |
| Formulation | Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide. |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Uniprot ID | PODJI8 |

Technical Details

| Immunogen | Synthesized peptide derived from part region of human protein |
|----------------------------|---|
| Predicted Reactive Species | Boar, Bovine, Canine, Golden Hamster |
| Cross Reactivity | No cross reactivity with other proteins. |
| Isotype | IgG |
| Form | Liquid |
| Concentration | 1 mg/ml |
| | |




888-466-3604 | support@bosterbio.com | www.bosterbio.com



| Purification | SAA1 antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
|---------------------|---|
| Suggested Dilutions | Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB 1:500-2000 ELISA 1:5000-20000 |



Anti-Serum amyloid A-1 protein SAA1 Antibody (A01362-1) Images



Western blot analysis of lysates from K562 cells, primary antibody was diluted at 1:1000, 4°C over night

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Serum amyloid A-1 protein SAA1 Antibody