

Anti-Hexokinase-2 HK2 Antibody

Catalog Number: A01389-1

About HK2

Following activation by double-stranded RNA in the presence of ATP, the kinase becomes autophosphorylated and can catalyze the phosphorylation of the translation initiation factor EIF2S1, which leads to an inhibition of the initiation of protein synthesis. Double-stranded RNA is generated during the course of a viral infection.

Abujiang Pataer, et.al. (2002) Cancer Res ; 62: 2239.

K. D. Ryman, et.al. (2005) J. Virol ; 79: 1487 - 1499.

Susana Guerra, et.al. (2006) J. Biol. Chem ; 281: 18734 - 18745.

Overview

Product Name	Anti-Hexokinase-2 HK2 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Hexokinase-2 HK2 Antibody catalog # A01389-1. Tested in WB,IHC,ICC/IF applications. This antibody reacts with Human,Mouse,Rat.
Application	IF, IHC, ICC, WB
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P52789

Technical Details

Immunogen	Synthesized peptide derived from human Trk B around the phosphorylation site of Y706.
Predicted Reactive Species	Boar, Bovine, Canine, Golden Hamster
Cross Reactivity	No cross reactivity with other proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml

Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB: 1:500-1:2000 IHC: 1:50-1:200 ICC/IF: 1:50-1:200

1 Publications Citing This Product

1. PubMed ID: 32768579, Chen J,Wu D,Dong Z,Chen A,Liu S.The expression and role of glycolysis-associated molecules in infantile hemangioma.Life Sci.2020 Oct 15;259:118215.doi:10.1016/j.lfs.2020.118215.Epub 2020 Aug 5.PMID:32768579.

Visit [bosterbio.com/anti-hexokinase-2-hk2-antibody-a01389-1-boster.html](https://www.bosterbio.com/anti-hexokinase-2-hk2-antibody-a01389-1-boster.html) to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Hexokinase-2 HK2 Antibody