

Anti-Bim (phospho-S69/S65) BCL2L11 Antibody

Catalog Number: A01552S69S65

About BCL2L11

Induces apoptosis. Isoform BimL is more potent than isoform BimEL. Isoform Bim-a1, isoform Bim-a2 and isoform Bim-a3 induce apoptosis, although less potent than the isoforms BimEL, BimL and BimS. Isoform Bim-gamma induces apoptosis.

Fukazawa H, et al. (2004) Mol Cancer Ther ; 3(10): 1281-1288

Luciano F, et al. (2003) Oncogene ; 22(43): 6785-6793

Overview

Product Name	Anti-Bim (phospho-S69/S65) BCL2L11 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Bim (phospho-S69/S65) BCL2L11 Antibody catalog # A01552S69S65. Tested in WB applications. This antibody reacts with Human,Mouse,Rat.
Application	WB
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O43521

Technical Details

Immunogen	Synthesized peptide derived from human Bim around the phosphorylation site of S59.
Predicted Reactive Species	Boar, Bovine, Canine, Golden Hamster
Cross Reactivity	No cross reactivity with other proteins.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Suggested Dilutions

Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.

If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.

Some PubMed article(s) citing the expression level of this target are as follows:

Boster Bio's internal QC testing used:

WB: 1:500-1:1000

Anti-Bim (phospho-S69/S65) BCL2L11 Antibody (A01552S69S65) Images




Figure 1. Western blotting validation for Anti-Bim (phospho-S69/S65) BCL2L11 Antibody A01552S69S65

Western blot (WB) analysis of p-Bim (S69/S65) polyclonal antibody at 1:500 dilution

Lane1:HEK293T whole cell lysate

Lane2:Raw264.7 whole cell lysate

Lane3:sp2/0 whole cell lysate

Electrophoresis was performed on a SDS-PAGE gel. To determine SDS-PAGE gel concentration

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Bim (phospho-S69/S65) BCL2L11 Antibody