

Anti-IL-9 Antibody

Catalog Number: A02925

About IL9

IL-9 is a cytokine that acts as a regulator of a variety of hematopoietic cells. This cytokine stimulates cell proliferation and prevents apoptosis. It functions through the interleukin 9 receptor (IL9R), which activates different signal transducer and activator (STAT) proteins and thus connects this cytokine to various biological processes. The gene encoding this cytokine has been identified as a candidate gene for asthma. Genetic studies on a mouse model of asthma demonstrated that this cytokine is a determining factor in the pathogenesis of bronchial hyperresponsiveness. Anti-IL-9 antibody is ideal for investigators involved in Cancer and Immunology research.

Overview

Product Name	Anti-IL-9 Antibody
Reactive Species	Human
Description	Boster Bio Anti-IL-9 Antibody (Catalog # A02925). Tested in WB applications. This antibody reacts with Human.
Application	WB
Clonality	Polyclonal
Formulation	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Storage Instructions	Store Anti-IL-9 antibody at 4°C prior to restoration. For extended storage aliquot contents and freeze at -20°C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4°C as an undiluted liquid. Dilute only prior to immediate use. Expiration date is one (1) year from date of opening. (Ship on dry ice.)
Host	Rabbit
Uniprot ID	P15248

Technical Details

Immunogen	This purified antibody was prepared from whole rabbit serum produced by repeated immunizations with full length recombinant human IL-9 protein.
Predicted Reactive Species	Bovine, Pufferfish, Zebrafish
Isotype	lgG
Form	Lyophilized
Concentration	1.0 mg/mL by UV absorbance at 280 nm
Purification	This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step






	process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. This purified antibody has been heated to 56°C for 30 minutes. In ELISA and other immunoreactive assays, this antibody will recognize both native and recombinant human IL-9 in cell supernatants and certain body fluids. A control of similarly diluted normal rabbit IgG is recommended.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: ELISA: 1:10,000 IHC: User optimized WB: 1:1,000



Anti-IL-9 Antibody (A02925) Images



Anti-Human IL-9 antibody shows detection of a band ~ 15 kDa in size corresponding to recombinant human IL-9. The identity of the faint higher molecular weight band may represent a homodimer.Molecular weight markers are also shown (left).After transfer, the membrane was blocked overnight with 3% BSA in TBS followed by reaction with primary antibody at a 1:1,000 dilution.Detection occurred using peroxidase conjugated anti-Rabbit IgG (p/n 611-103-122) secondary antibody diluted 1:40,000 in blocking buffer (p/n MB-070) for 30 min at RT followed by reaction with FemtoMax

1 Publications Citing This Product

1. PubMed ID: 24966942, Overexpression of IL-9 induced by STAT6 activation promotes the pathogenesis of chronic lymphocytic leukemia

Visit bosterbio.com/anti-il-9-antibody-a02925-boster.html to see all 1 publications.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-IL-9 Antibody