

Anti-5-HT-4 HTR4 Antibody

Catalog Number: A03681

About HTR4

This is one of the several different receptors for 5-hydroxytryptamine (serotonin), a biogenic hormone that functions as a neurotransmitter, a hormone, and a mitogen. The activity of this receptor is mediated by G proteins that stimulate adenylate cyclase.

Blondel O., J. Neurochem. 70:2252-2261(1998).

Claeysen S., NeuroReport 8:3189-3195(1997).

Claeysen S., Mol. Pharmacol. 55:910-920(1999).

Overview

| Product Name | Anti-5-HT-4 HTR4 Antibody |
|----------------------|--|
| Reactive Species | Human, Mouse, Rat |
| Description | Boster Bio Anti-5-HT-4 HTR4 Antibody (Catalog # A03681). Tested in WB, IF applications. This antibody reacts with Human, Mouse, Rat. |
| Application | IF, WB |
| Clonality | Polyclonal |
| Formulation | Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Uniprot ID | Q13639 |

Technical Details

| Immunogen | Synthesized peptide derived from internal of human 5-HT-4. |
|----------------------------|--|
| Predicted Reactive Species | Boar, Bovine, Canine, Golden Hamster |
| Isotype | lgG |
| Form | Liquid |
| Concentration | 1 mg/ml |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitopespecific immunogen. |




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


| Suggested Dilutions | Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: |
|---------------------|--|
| | Boster Bio's internal QC testing used: Western blotting: 1:500~1:3000 Immunofluorescence: 1:100~1:500 |



Anti-5-HT-4 HTR4 Antibody (A03681) Images



Western blot analysis of extracts from JK and colo cells, using 5-HT-4 antibody A03681.



Immunofluorescence analysis of HeLa cells, using 5-HT-4 antibody A03681.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-5-HT-4 HTR4 Antibody