

Anti-STK24/Mst3 Antibody

Catalog Number: A04112

About STK24

Serine/threonine-protein kinase that acts on both serine and threonine residues and promotes apoptosis in response to stress stimuli and caspase activation. Mediates oxidative-stress-induced cell death by modulating phosphorylation of JNK1-JNK2 (MAPK8 and MAPK9), p38 (MAPK11, MAPK12, MAPK13 and MAPK14) during oxidative stress. Plays a role in a staurosporine-induced caspase-independent apoptotic pathway by regulating the nuclear translocation of AIFM1 and ENDOG and the DNase activity associated with ENDOG. Phosphorylates STK38L on 'Thr-442' and stimulates its kinase activity. Regulates cellular migration with alteration of PTPN12 activity and PXN phosphorylation: phosphorylates PTPN12 and inhibits its activity and may regulate PXN phosphorylation through PTPN12. May act as a key regulator of axon regeneration in the optic nerve and radial nerve.

Schinkmann K., J. Biol. Chem. 272:28695-28703(1997). Zhou T.-H., J. Biol. Chem. 275:2513-2519(2000). Dunham A., Nature 428:522-528(2004).

Overview

| Product Name | Anti-STK24/Mst3 Antibody |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Reactive Species | Human |
| Description | Boster Bio Anti-STK24/Mst3 Antibody (Catalog # A04112). Tested in WB, IHC applications. This antibody reacts with Human. |
| Application | IHC, WB |
| Clonality | Polyclonal |
| Formulation | Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Uniprot ID | Q9Y6E0 |

Technical Details

| Immunogen | Synthesized peptide derived from internal of human STK24. |
|----------------------------|-----------------------------------------------------------|
| Predicted Reactive Species | Boar, Bovine, Canine, Golden Hamster |
| Isotype | lgG |






| BOSTER |
|----------------------------|
| antibody and ELISA experts |


| Form | Liquid |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Concentration | 1 mg/ml |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitopespecific immunogen. |
| Suggested Dilutions | Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blotting: 1:500~1:3000 Immunohistochemistry: 1:50~1:100 |



Anti-STK24/Mst3 Antibody (A04112) Images



Western blot analysis of extracts from COLO cells, using STK24 antibody A04112.



Immunohistochemistry analysis of paraffin-embedded human colon carcinoma tissue, using STK24 antibody A04112.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-STK24/Mst3 Antibody