

Anti-BRSK1 Antibody

Catalog Number: A05997

About BRSK1

Serine/threonine-protein kinase that plays a key role in polarization of neurons and centrosome duplication. Phosphorylates CDC25B, CDC25C, MAPT/TAU, RIMS1, TUBG1, TUBG2 and WEE1. Following phosphorylation and activation by STK11/LKB1, acts as a key regulator of polarization of cortical neurons, probably by mediating phosphorylation of microtubule-associated proteins such as MAPT/TAU at 'Thr-529' and 'Ser-579'. Also regulates neuron polarization by mediating phosphorylation of WEE1 at 'Ser-642' in post-mitotic neurons, leading to down-regulate WEE1 activity in polarized neurons. In neurons, localizes to synaptic vesicles and plays a role in neurotransmitter release, possibly by phosphorylating RIMS1. Also acts as a positive regulator of centrosome duplication by mediating phosphorylation of gamma-tubulin (TUBG1 and TUBG2) at 'Ser-131', leading to translocation of gamma-tubulin and its associated proteins to the centrosome. Involved in the UV-induced DNA damage checkpoint response, probably by inhibiting CDK1 activity through phosphorylation and activation of WEE1, and inhibition of CDC25B and CDC25C.

Lizcano J.M., EMBO J. 23:833-843(2004). Lu R., J. Biol. Chem. 279:31164-31170(2004). Nagase T., DNA Res. 8:85-95(2001).

Overview

| Product Name | Anti-BRSK1 Antibody |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Reactive Species | Human, Mouse |
| Description | Boster Bio Anti-BRSK1 Antibody (Catalog # A05997). Tested in WB applications. This antibody reacts with Human, Mouse. |
| Application | WB |
| Clonality | Polyclonal |
| Formulation | Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles. |
| Host | Rabbit |
| Uniprot ID | Q8TDC3 |

Technical Details

| Immunogen | Synthesized peptide derived from internal of human BRSK1. |
|-----------|-----------------------------------------------------------|
| Isotype | IgG |
| Form | Liquid |






888-466-3604 | support@bosterbio.com | www.bosterbio.com

| Concentration | 1 mg/ml |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitopespecific immunogen. |
| Suggested Dilutions | Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blotting: 1:500~1:3000 |



Anti-BRSK1 Antibody (A05997) Images



Western blot analysis of extracts from 293 cells, using BRSK1 antibody A05997.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-BRSK1 Antibody