

Anti-GAPDHS Antibody

Catalog Number: A06121

About GAPDHS

Transports 1 Ca2+ and 1 K+ in exchange for 4 Na+. Controls the rapid response termination and proper regulation of adaptation in olfactory sensory neurons (OSNs) which subsequently influences how odor information is encoded and perceived. May play a role in calcium transport during amelogenesis By similarity.

Li X.-F., J. Biol. Chem. 277:48410-48417(2002). Ota T., Nat. Genet. 36:40-45(2004). Sulem P., Nat. Genet. 39:1443-1452(2007).

Overview

Product Name	Anti-GAPDHS Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-GAPDHS Antibody catalog # A06121. Tested in WB applications. This antibody reacts with Human, Mouse, Rat.
Application	WB
Clonality	Polyclonal
Formulation	Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O14556

Technical Details

Immunogen	Synthesized peptide derived from human BMPER protein.
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this



BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

	kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB: 1:500-1:1000
--	---



Anti-GAPDHS Antibody (A06121) Images




Figure 1. Western blotting validation for Anti-GAPDHS Antibody A06121

Western blot (WB) analysis of GAPDHS polyclonal antibody

at 1:500 dilution

Lane1:HEK293T whole cell lysate Lane2:sp2/0 whole cell lysate Lane3:pc12 whole cell lysate

Electrophoresis was performed on a SDS-PAGE gel. To

determine SDS-PAGE gel concentration

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-GAPDHS Antibody