

# **Anti-PURB Antibody**

Catalog Number: A06224

#### **About PURB**

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S15P family of ribosomal proteins. It is located in the cytoplasm. The protein has been shown to bind to the 5.8S rRNA in rat. The gene product of the E. coli ortholog (ribosomal protein S15) functions at early steps in ribosome assembly. This gene is cotranscribed with two U14 small nucleolar RNA genes, which are located in its third and fifth introns. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.

Rush J., Nat. Biotechnol. 23:94-101(2005).

Olsen J.V., Cell 127:635-648(2006).

Kenmochi N., Biochem. Biophys. Res. Commun. 228:371-374(1996).

### Overview

Product Name	Anti-PURB Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-PURB Antibody catalog # A06224. Tested in ELISA, WB applications. This antibody reacts with Human, Mouse, Rat.
Application	ELISA, WB
Clonality	Polyclonal
Formulation	Liquid form in PBS containing 50% glycerol, and 0.02% sodium azide.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q96QR8

### **Technical Details**

Immunogen	Synthesized peptide derived from human Ribosomal Protein S13
Isotype	IgG
Form	Liquid
Concentration	1 mg/ml



888-466-3604 | support@bosterbio.com | www.bosterbio.com

Purification	PURB antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.  If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.  Some PubMed article(s) citing the expression level of this target are as follows:  Boster Bio's internal QC testing used:  WB 1:500-2000 ELISA 1:5000-20000

## Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-PURB Antibody