

Anti-PTEN-P1 PTH2 Antibody

Catalog Number: A08380

About PTEN

This gene (PTENP1) is a highly homologous pseudogene of PTEN. PTEN was identified as a tumor suppressor that is mutated in a large number of cancers at high frequency. PTEN is a phosphatidylinositol-3,4,5-trisphosphate 3-phosphatase. It contains a tension like domain as well as a catalytic domain similar to that of the dual specificity protein tyrosine phosphatases. Unlike most of the protein tyrosine phosphatases, this protein preferentially dephosphorylates phosphoinositide substrates. It negatively regulates intracellular levels of phosphatidylinositol-3,4,5-trisphosphate in cells and functions as a tumor suppressor by negatively regulating AKT/PKB signaling pathway.

Overview


Product Name	Anti-PTEN-P1 PTH2 Antibody
Reactive Species	Human
Description	Boster Bio Anti-PTEN-P1 PTH2 Antibody (Catalog # A08380). Tested in ELISA, WB applications. This antibody reacts with Human.
Application	ELISA, WB
Clonality	Polyclonal
Formulation	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 0.01% (w/v) Sodium Azide
Storage Instructions	Store vial at -20°C prior to opening. Aliquot contents and freeze at -20°C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4°C as an undiluted liquid. Dilute only prior to immediate use. Expiration date is one (1) year from date of opening. (Ship on dry ice.)
Host	Rabbit
Uniprot ID	O43460

Technical Details

Immunogen	This affinity purified antibody was prepared from whole rabbit serum produced by repeated immunizations with a peptide corresponding to amino acids near the N-terminal end of human PTEN-P1 protein.
Predicted Reactive Species	Chimpanzee, Drosophila, Macaque
Isotype	IgG
Form	Liquid (sterile filtered)
Concentration	1.15 mg/mL by UV absorbance at 280 nm

Purification	This affinity-purified antibody is directed against human PTEN protein. The product was affinity purified from monospecific antiserum by immunoaffinity purification. Reactivity occurs against human PTEN protein. A BLAST analysis was used to suggest cross-reactivity with PTEN proteins from mouse, dog sources based on 82% homology with the immunizing sequence. Reactivity against homologues from other sources is not known.
Suggested Dilutions	<p>Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.</p> <p>If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.</p> <p>Some PubMed article(s) citing the expression level of this target are as follows:</p> <p>Boster Bio's internal QC testing used:</p> <p>ELISA: 1:160,000</p> <p>WB: 1:500 to 1:2,000</p>

Anti-PTEN-P1 PTH2 Antibody (A08380) Images



Western blot analysis of PTEN-P1 expression in human HeLa whole cell lysates (lane 4), HEK293 whole cell lysates (lane 5) and MCF7 whole cell lysates (lane 6). Lanes 1-3 were show the results of staining after the antibody was first pre-incubated with the immunizing peptide. The identity of lower molecular weight bands in lane 4 is unknown. Molecular weight estimation was made by comparison to prestained MW markers in lane M (700 nm channel, red). PTEN-P1 at 55KD was detected using rabbit anti-PTEN-P1 Antigen Affinity purified polyclonal antibody (Catalog # A08380) at 1:500. The blot was developed using chemiluminescence (ECL) method (Catalog # EK1002).

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-PTEN-P1 PTH2 Antibody