

Anti-CCT6A Antibody

Catalog Number: A09373

About CCT6A

Molecular chaperone; assists the folding of proteins upon ATP hydrolysis. Known to play a role, in vitro, in the folding of actin and tubulin.

Li W.-Z., J. Biol. Chem. 269:18616-18622(1994).

Lee Y.-K., Submitted (MAY-2001) to the EMBL/GenBank/DDBJ databases.

Wang H., Submitted (JUN-2001) to the EMBL/GenBank/DDBJ databases.

Overview

Product Name	Anti-CCT6A Antibody
Reactive Species	Human
Description	Boster Bio Anti-CCT6A Antibody (Catalog # A09373). Tested in WB, IHC applications. This antibody reacts with Human.
Application	IHC, WB
Clonality	Polyclonal
Formulation	Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P40227

Technical Details

Immunogen	Synthesized peptide derived from internal of human CCT6A.
Predicted Reactive Species	Chimpanzee, Drosophila, Macaque
Isotype	lgG
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitopespecific immunogen.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blotting: 1:500~1:3000 Immunohistochemistry: 1:50~1:100




Anti-CCT6A Antibody (A09373) Images



Western blot analysis of extracts from HepG2 cells, using CCT6A antibody A09373.



Western blot analysis of extracts from cos-7 cells (Lane 2) and 293 cells (Lane 3), using CCT6A antiobdy A09373. The lane on the left is treated with synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using CCT6A antibody A09373.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-CCT6A Antibody