

## Anti-TMBIM1/Recs1 Antibody

Catalog Number: A10501

### About TMBIM1

This antibody is suitable for Cancer, Immunology and Nuclear Signaling research. TMBIM1 (Transmembrane BAX inhibitor motif-containing protein 1) is a member of the 7 TMS (7 transmembrane domains) family of receptors known to mediate the activation of various transcription factors. TMBIM1 is identified as a novel modulator of NF- $\kappa$ B activation. A drosophila homolog of this protein (dNMDA1 with 40% homology to hTMBIM1) is reported to be unregulated during aging and oxidative stress.

### Overview

Product Name	Anti-TMBIM1/Recs1 Antibody
Reactive Species	Human
Description	Boster Bio Anti-TMBIM1/Recs1 Antibody (Catalog # A10501). Tested in ELISA, IHC, WB applications. This antibody reacts with Human.
Application	ELISA, IHC, WB
Clonality	Polyclonal
Formulation	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 0.01% (w/v) Sodium Azide
Storage Instructions	Store vial at -20°C prior to opening. Aliquot contents and freeze at -20°C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4°C as an undiluted liquid. Dilute only prior to immediate use. Expiration date is one (1) year from date of opening. (Ship on dry ice.)
Host	Rabbit
Uniprot ID	Q969X1

### Technical Details


Immunogen	This protein A purified antibody was prepared from whole rabbit serum produced by repeated immunizations with a recombinant protein corresponding to the amino terminus of human TMBIM1 protein.
Predicted Reactive Species	Chimpanzee
Isotype	IgG
Form	Liquid (sterile filtered)
Concentration	1.2 mg/mL by UV absorbance at 280 nm
Purification	This product was protein A purified from monospecific antiserum by immunoaffinity

chromatography using protein A coupled to agarose beads. This antibody is specific for human TMBIM1 protein. A BLAST analysis was used to suggest partial cross-reactivity with TMBIM1 from mouse and rat sources based on ~88% homology with the immunizing sequence. Cross-reactivity with TMBIM1 from other sources has not been determined.


**Suggested Dilutions**

Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.  
If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.  
Some PubMed article(s) citing the expression level of this target are as follows:  
Boster Bio's internal QC testing used:  
ELISA: 1:10,000  
IHC: 10µg/mL  
WB: 1:500 - 1:2,000


## Anti-TMBIM1/Recs1 Antibody (A10501) Images



TMBIM1 was detected in paraffin-embedded sections of human prostate tissues using rabbit anti-TMBIM1 protein A purified polyclonal antibody (Catalog # A10501) at 10 ug/mL. The immunohistochemical section was developed using SABC method (Catalog # SA1022).



TMBIM1 was detected in paraffin-embedded sections of human tonsil tissues using rabbit anti-TMBIM1 protein A purified polyclonal antibody (Catalog # A10501) at 10 ug/mL. The immunohistochemical section was developed using SABC method (Catalog # SA1022).



Western blot analysis of TMBIM1 expression in lysates from HeLa cells transfected with pcDNA3-hTMBIM1 (lane 1). No staining is observed in lysates from mock transformed HeLa cells (lane 2). TMBIM1 at 35KD was detected using rabbit anti-TMBIM1 protein A purified polyclonal antibody (Catalog # A10501) at 1:1000. Personal Communication from Srinivasa Srinivasula, CCR-NCI, Bethesda, MD.

## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-TMBIM1/Recs1 Antibody