

Anti-KLF4/Gklf Rabbit Monoclonal Antibody

Catalog Number: M00120

About KLF4

Phosphoinositide-3-kinase (PI3K) that phosphorylates PtdIns (Phosphatidylinositol), PtdIns4P (Phosphatidylinositol 4-phosphate) and PtdIns (4,5) P2 (Phosphatidylinositol 4,5-bisphosphate) to generate phosphatidylinositol 3,4,5-trisphosphate (PIP3). PIP3 plays a key role by recruiting PH domain-containing proteins to the membrane, including AKT1 and PDPK1, activating signaling cascades involved in cell growth, survival, proliferation, motility and morphology. Participates in cellular signaling in response to various growth factors.

Overview

Product Name	Anti-KLF4/Gklf Rabbit Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-KLF4/Gklf Rabbit Monoclonal Antibody catalog # M00120. Tested in WB, IHC, ICC/IF applications. This antibody reacts with Human, Mouse, Rat.
Application	IF, IHC, ICC, WB
Clonality	Monoclonal AODA-11
Formulation	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O43474

Technical Details

Immunogen	A synthesized peptide derived from human KLF4
Isotype	Rabbit IgG
Form	Liquid
Concentration	Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows:




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


Boster Bio's internal QC testing used: WB 1:500-1:2000 IHC 1:50-1:200 ICC/IF 1:50-1:200




Anti-KLF4/Gklf Rabbit Monoclonal Antibody (M00120) Images




All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.




Western blot analysis of KLF4 expression in (1) HeLa cell lysate; (2) NIH/3T3 cell lysate; (3) C6 cell lysate.




All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.


All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.







Immunohistochemical analysis of paraffin-embedded mouse liver, using KLF4 Antibody.



Immunofluorescent analysis of Hela cells, using KLF4 Antibody.

4 Publications Citing This Product

- 1. PubMed ID: 31933825, Deng S,Zhang Y,Wang Y,Lu X,Jiang Q.MicroRNA-92 regulates vascular smooth muscle cell function by targeting KLF4 during vascular restenosis and injury.Int J Clin Exp Pathol.2019 Dec 1;12(12):4253-4262.PMID:31933825;PMCID:PMC6949870.
- 2. PubMed ID: 33069797, Shi R,Liu L,Wang F,He Y,Niu Y,Wang C,Zhang X,Zhang X,Zhang H,Chen M,Wang Y.Downregulation of cytokeratin 18 induces cellular partial EMT and stemness through increasing EpCAM expression in breast cancer.Cell Signal.2020 Dec;76:109810.doi:10.1016/j.cellsig
- 3. PubMed ID: 26938105, CHIR99021 enhances Klf4 Expression through ?-Catenin Signaling and miR-7a Regulation in J1 Mouse Embryonic Stem Cells

Visit bosterbio.com/anti-klf4-rabbit-monoclonal-antibody-m00120-boster.html to see all 4 publications.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.