

Anti-Caveolin-1 CAV1 Rabbit Monoclonal Antibody

Catalog Number: M00179

About CAV1

C3 plays a central role in the activation of the complement system. Its processing by C3 convertase is the central reaction in both classical and alternative complement pathways. After activation C3b can bind covalently, via its reactive thioester, to cell surface carbohydrates or immune aggregates.

Overview

Product Name	Anti-Caveolin-1 CAV1 Rabbit Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Caveolin-1 CAV1 Rabbit Monoclonal Antibody catalog # M00179. Tested in WB, IHC, ICC/IF, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat.
Application	Flow Cytometry, IF, IHC, ICC, WB
Clonality	Monoclonal GE-3
Formulation	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q03135

Technical Details

Immunogen	A synthesized peptide derived from human Caveolin-1
Isotype	Rabbit IgG
Form	Liquid
Concentration	Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used:




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


WB 1:500-1:2000
IHC 1:50-1:200
ICC/IF 1:50-1:200
FC 1:20




Anti-Caveolin-1 CAV1 Rabbit Monoclonal Antibody (M00179) Images




All lanes use the Antibody at 1:2W dilution for 1 hour at room temperature.



Immunofluorescent analysis of A431 cells, using Caveolin-1 Antibody .




Western blot analysis of Caveolin-1 expression in A431 cell lysate.



All lanes use the Antibody at 1:2W dilution for 1 hour at room temperature.

Immunohistochemical analysis of paraffin-embedded mouse lung, using Caveolin-1 Antibody.





1 Publications Citing This Product

1. PubMed ID: 24830555, MicroRNA-199a-5p Affects Porcine Preadipocyte Proliferation and Differentiation

Visit bosterbio.com/anti-caveolin-1-rabbit-monoclonal-antibody-m00179-boster.html to see all 1 publications.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Caveolin-1 CAV1 Rabbit Monoclonal Antibody