

Anti-MHC class 1 HLA-A Rabbit Monoclonal Antibody

Catalog Number: M00194-1

About HLA-A

C3 plays a central role in the activation of the complement system. Its processing by C3 convertase is the central reaction in both classical and alternative complement pathways. After activation C3b can bind covalently, via its reactive thioester, to cell surface carbohydrates or immune aggregates.

Overview


Product Name	Anti-MHC class 1 HLA-A Rabbit Monoclonal Antibody
Reactive Species	Human
Description	Boster Bio Anti-MHC class 1 HLA-A Rabbit Monoclonal Antibody catalog # M00194-1. Tested in WB, IHC, ICC/IF, IP, Flow Cytometry applications. This antibody reacts with Human.
Application	Flow Cytometry, IP, IF, IHC, ICC, WB
Clonality	Monoclonal BBI-8
Formulation	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P01891

Technical Details


Immunogen	A synthesized peptide derived from human MHC class 1
Isotype	Rabbit IgG
Form	Liquid
Concentration	Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used:

	WB 1:500-1:2000 IHC 1:50-1:200 ICC/IF 1:50-1:200 IP 1:50 FC 1:50
--	--


Anti-MHC class 1 HLA-A Rabbit Monoclonal Antibody (M00194-1) Images



Western blot analysis of MHC class 1 expression in A549 cell lysate.



Immunohistochemical analysis of paraffin-embedded human thyroid carcinoma, using MHC class 1 Antibody.



All lanes use the Antibody at 1:6K dilution for 1 hour at room temperature.

1 Publications Citing This Product

1. PubMed ID: , IFN-gamma enhances cell-mediated cytotoxicity against keratinocytes via JAK2/STAT1 in lichen planus

Visit bosterbio.com/anti-mhc-class-1-rabbit-monoclonal-antibody-m00194-1-boster.html to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-MHC class 1 HLA-A Rabbit Monoclonal Antibody