

## Anti-PAX6 Rabbit Monoclonal Antibody

Catalog Number: M00273-2

### About PAX6

C3 plays a central role in the activation of the complement system. Its processing by C3 convertase is the central reaction in both classical and alternative complement pathways. After activation C3b can bind covalently, via its reactive thioester, to cell surface carbohydrates or immune aggregates.

### Overview


|                      |                                                                                                                                                                  |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name         | Anti-PAX6 Rabbit Monoclonal Antibody                                                                                                                             |
| Reactive Species     | Human, Mouse, Rat                                                                                                                                                |
| Description          | Boster Bio Anti-PAX6 Rabbit Monoclonal Antibody catalog # M00273-2. Tested in WB, IHC, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat. |
| Application          | Flow Cytometry, IHC, WB                                                                                                                                          |
| Clonality            | Monoclonal HEB-16                                                                                                                                                |
| Formulation          | Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.                                              |
| Storage Instructions | Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.                       |
| Host                 | Rabbit                                                                                                                                                           |
| Uniprot ID           | P26367                                                                                                                                                           |

### Technical Details


|                     |                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Immunogen           | A synthesized peptide derived from human PAX6                                                                                                                                                                                                                                                                                                                                            |
| Isotype             | Rabbit IgG                                                                                                                                                                                                                                                                                                                                                                               |
| Form                | Liquid                                                                                                                                                                                                                                                                                                                                                                                   |
| Concentration       | Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.                                                                                                                                                                                                                                                                                             |
| Purification        | Affinity-chromatography                                                                                                                                                                                                                                                                                                                                                                  |
| Suggested Dilutions | Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.<br>If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.<br>Some PubMed article(s) citing the expression level of this target are as follows:<br>Boster Bio's internal QC testing used: |

|  |                                                |
|--|------------------------------------------------|
|  | WB 1:1000-1:2000<br>IHC 1:50-1:200<br>FC 1:500 |
|--|------------------------------------------------|


## Anti-PAX6 Rabbit Monoclonal Antibody (M00273-2) Images




All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



Western blot analysis of PAX6 expression in HeLa cell lysate.



All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:2K dilution for 1 hour at room temperature.

**Submit a product review to Biocompare.com**

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



## Anti-PAX6 Rabbit Monoclonal Antibody