

Anti-c-Fos Rabbit Monoclonal Antibody

Catalog Number: M00297

About FOS

C3 plays a central role in the activation of the complement system. Its processing by C3 convertase is the central reaction in both classical and alternative complement pathways. After activation C3b can bind covalently, via its reactive thioester, to cell surface carbohydrates or immune aggregates.

Overview


Product Name	Anti-c-Fos Rabbit Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-c-Fos Rabbit Monoclonal Antibody catalog # M00297. Tested in WB, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat.
Application	Flow Cytometry, WB
Clonality	Monoclonal IIO-6
Formulation	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P01100

Technical Details


Immunogen	A synthesized peptide derived from human c-Fos
Isotype	Rabbit IgG
Form	Liquid
Concentration	Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used:

	WB 1:500-1:2000 FC 1:50
--	----------------------------

Anti-c-Fos Rabbit Monoclonal Antibody (M00297) Images



All lanes use the Antibody at 1:5K dilution for 1 hour at room temperature.



Western blot analysis of c-Fos expression in HeLa cell lysate treated with TPA.

6 Publications Citing This Product

1. PubMed ID: 27429635, Analgesic Neural Circuits Are Activated by Electroacupuncture at Two Sets of Acupoints
2. PubMed ID: 26491460, The Expression Patterns of c-Fos and c-Jun Induced by Different Frequencies of Electroacupuncture in the Brain
3. PubMed ID: 18763282, Positional and expressive alteration of prohibitin during the induced differentiation of human hepatocarcinoma SMMC-7721 cells

Visit bosterbio.com/anti-c-fos-rabbit-monoclonal-antibody-m00297-boster.html to see all 6 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-c-Fos Rabbit Monoclonal Antibody