

Anti-GAP43 Rabbit Monoclonal Antibody

Catalog Number: M01868

About GAP43

Furin is likely to represent the ubiquitous endoprotease activity within constitutive secretory pathways and capable of cleavage at the RX (K/R) R consensus motif.

Overview

Product Name	Anti-GAP43 Rabbit Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-GAP43 Rabbit Monoclonal Antibody catalog # M01868. Tested in WB, IHC, ICC/IF, IP, Flow Cytometry applications. This antibody reacts with Human, Mouse, Rat.
Application	Flow Cytometry, IP, IF, IHC, ICC, WB
Clonality	Monoclonal FOG-7
Formulation	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P17677

Technical Details

Immunogen	A synthesized peptide derived from human GAP43
Isotype	Rabbit IgG
Form	Liquid
Concentration	Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB 1:10000-1:50000




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


IHC 1:50-1:200
ICC/IF 1:50-1:200
IP 1:30
FC 1:20



Anti-GAP43 Rabbit Monoclonal Antibody (M01868) Images



Western blot analysis of GAP43 expression in SH-SY5Y cell lysate.



Immunohistochemical analysis of paraffin-embedded human stomach, using GAP43 Antibody.

4 Publications Citing This Product

- 1. PubMed ID: 26136892, Fructus Corni extract-induced neuritogenesis in PC12 cells is associated with the suppression of stromal interaction molecule 1 expression and inhibition of Ca2+ influx
- 2. PubMed ID: 28054637, Liu H, Lv P, Zhu Y, Wu H, Zhang K, Xu F, Zheng L, Zhao J. Sci Rep. 2017 Jan 5;7:39869. doi: 10.1038/srep39869. Salidroside promotes peripheral nerve regeneration based on tissue engineering strategy using Schwann cells and PLGA: in vitro and in vivo
- 3. PubMed ID: 29707580, Liu Z, Liu H, Zeng ZH. Biomed Res Int. 2018 Mar 7;2018:8697913. doi: 10.1155/2018/8697913. eCollection 2018. Chronic Unpredictable Mild Stress Causing Cardiac and Thoracic Spinal Cord Electrophysiological Abnormalities May Be Associated with Incre...

Visit bosterbio.com/anti-gap43-rabbit-monoclonal-antibody-m01868-boster.html to see all 4 publications.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-GAP43 Rabbit Monoclonal Antibody