

# **Anti-Cytokeratin 10 KRT10 Rabbit Monoclonal Antibody**

Catalog Number: M02305-1

### **About KRT10**

F-actin cross-linking protein which is thought to anchor actin to a variety of intracellular structures. This is a bundling protein. Probably involved in vesicular trafficking via its association with the CART complex. The CART complex is necessary for efficient transferrin receptor recycling but not for EGFR degradation.

#### Overview

Product Name	Anti-Cytokeratin 10 KRT10 Rabbit Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Cytokeratin 10 KRT10 Rabbit Monoclonal Antibody catalog # M02305-1. Tested in WB, IHC, ICC/IF applications. This antibody reacts with Human, Mouse, Rat.
Application	IF, IHC, ICC, WB
Clonality	Monoclonal EEF-11
Formulation	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P13645

### **Technical Details**

Immunogen	A synthesized peptide derived from human Cytokeratin 10
Isotype	Rabbit IgG
Form	Liquid
Concentration	Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.  If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.  Some PubMed article(s) citing the expression level of this target are as follows:  Boster Bio's internal QC testing used:




# BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com


WB 1:500-1:2000
IHC 1:50-1:200
ICC/IF 1:50-1:200




## Anti-Cytokeratin 10 KRT10 Rabbit Monoclonal Antibody (M02305-1) Images




All lanes use the Antibody at 1:1W dilution for 1 hour at room temperature.



Immunofluorescent analysis of HACAT cells, using Cytokeratin 10 Antibody.



Western blot analysis of Cytokeratin 10 expression in A431 cell lysate.



Immunohistochemical analysis of paraffin-embedded human bladder, using Cytokeratin 10 Antibody.

## 1 Publications Citing This Product

1. PubMed ID: 24391454, Localization of Human Mesenchymal Stem Cells from Umbilical Cord Blood and Their Role in Repair of Diabetic Foot Ulcers in Rats

Visit bosterbio.com/anti-cytokeratin-10-rabbit-monoclonal-antibody-m02305-1-boster.html to see all 1 publications.







## Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.





Anti-Cytokeratin 10 KRT10 Rabbit Monoclonal Antibody