

Anti-JNK1/2/3 MAPK8 Rabbit Monoclonal Antibody

Catalog Number: M02608-1

About MAPK8

F-actin cross-linking protein which is thought to anchor actin to a variety of intracellular structures. This is a bundling protein. Probably involved in vesicular trafficking via its association with the CART complex. The CART complex is necessary for efficient transferrin receptor recycling but not for EGFR degradation.

Overview

Product Name	Anti-JNK1/2/3 MAPK8 Rabbit Monoclonal Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-JNK1/2/3 MAPK8 Rabbit Monoclonal Antibody catalog # M02608-1. Tested in WB, ICC/IF, IP applications. This antibody reacts with Human, Mouse, Rat.
Application	IP, IF, ICC, WB
Clonality	Monoclonal DFI-13
Formulation	Rabbit IgG in phosphate buffered saline, pH 7.4, 150 mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5 mg/ml BSA.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P45983/P45984/P53779

Technical Details

Immunogen	A synthesized peptide derived from human JNK1+JNK2+JNK3
Isotype	Rabbit IgG
Form	Liquid
Concentration	Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used:

	WB 1:1000-1:2000 ICC/IF 1:50-1:200 IP 1:50
--	--

Anti-JNK1/2/3 MAPK8 Rabbit Monoclonal Antibody (M02608-1) Images






Figure 1. Western blot analysis of JNK1/2/3 using anti-JNK1/2/3 antibody (M02608-1). Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 30 ug of sample under reducing conditions. Lane 1: human HeLa whole cell lysates, Lane 2: human U87 whole cell lysates, Lane 3: human A549 whole cell lysates, Lane 4: rat PC-12 whole cell lysates, Lane 5: rat C6 whole cell lysates, Lane 6: mouse Neuro-2a whole cell lysates, Lane 7: mouse NIH/3T3 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-JNK1/2/3 antigen affinity purified monoclonal antibody (Catalog # M02608-1) at 1:1000 overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:500 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for JNK1/2/3 at approximately 40, 48 kDa. The expected band size for JNK1/2/3 is at 48 kDa.



Immunofluorescent analysis using the Antibody at 1:50 dilution.



Immunofluorescent analysis of HeLa cells, using JNK1/2/3 Antibody.

5 Publications Citing This Product

- PubMed ID: 10.1007/s12013-019-00890-5, Grape Seed Procyanidins Attenuates Cisplatin-induced Human Embryonic Renal Cell Cytotoxicity by Modulating Heme Oxygenase-1 in Vitro
- PubMed ID: 21625440, Ding Y, Zou J, Li Z, Tian J, Abdelalim S, Du F, She R, Wang D, Tan C, Wang H, Chen W, Lv D, Chang L. Plos One.

2011;6(5):E20008. Doi: 10.1371/Journal.Pone.0020008. Epub 2011 May 23. Study Of Histopathological And Molecular Changes Of Rat Kidney Un...

3. PubMed ID: 29416654, Cui Y, Wu W, Lv P, Zhang J, Bai B, Cao W. Oncotarget. 2017 Dec 11;9(1):783-790. doi: 10.18632/oncotarget.23153. eCollection 2018 Jan 2. Down-regulation of long non-coding RNA ESCCAL_1 inhibits tumor growth of esophageal squamous cell carcinoma in ...

Visit bosterbio.com/anti-jnk1-2-3-rabbit-monoclonal-antibody-m02608-1-boster.html to see all 5 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-JNK1/2/3 MAPK8 Rabbit Monoclonal Antibody