

Anti-BDKRB2 Monoclonal Antibody

Catalog Number: M03117

About BDKRB2

Receptor for bradykinin. It is associated with G proteins that activate a phosphatidylinositol-calcium second messenger system.

Overview

Product Name	Anti-BDKRB2 Monoclonal Antibody
Reactive Species	Human, Mouse
Description	Boster Bio Anti-BDKRB2 Monoclonal Antibody catalog # M03117. Tested in WB, IP applications. This antibody reacts with Human, Mouse.
Application	IP, WB
Clonality	Monoclonal AFAG-2
Formulation	Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol, 0.4-0.5mg/ml BSA.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P30411

Technical Details

Immunogen	A synthesized peptide derived from human BDKRB2
Isotype	Rabbit IgG
Form	Liquid
Concentration	Actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Affinity-chromatography
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: WB 1:500-1:2000 IP 1:50












Anti-BDKRB2 Monoclonal Antibody (M03117) Images




All lanes use the Antibody at 1:3K dilution for 1 hour at room temperature.



Western blot analysis of BDKRB2 expression in JAR cell lysate.



All lanes use the Antibody at 1:3K dilution for 1 hour at room temperature.



All lanes use the Antibody at 1:3K dilution for 1 hour at room temperature.

Submit a product review to Biocompare.com











Anti-BDKRB2 Monoclonal Antibody