

Anti-PIDD PIDD1 Antibody (Monoclonal, Anto-1)

Catalog Number: M10708

Overview

Product Name	Anti-PIDD PIDD1 Antibody (Monoclonal, Anto-1)
Reactive Species	Human, Mouse
Description	Boster Bio Anti-PIDD PIDD1 Antibody (Monoclonal, Anto-1) (Catalog# M10708). Tested in IHC-P, WB application(s). This antibody reacts with Human, Mouse.
Application	IHC-P, WB
Clonality	Monoclonal Anto-1
Formulation	Liquid. In PBS containing 0.02% sodium azide.
Storage Instructions	Store at -20°C for long-term storage. Avoid freeze/thaw cycles. After opening, prepare aliquots and store at -20°C.
Host	Mouse
Uniprot ID	Q9HB75

Technical Details

Immunogen	Recombinant human PIDD death domain (aa 776-910)
Predicted Reactive Species	Chimpanzee, Hamster
Isotype	lgG1
Form	Liquid
Concentration	0.5-1mg/ml, actual concentration vary by lot. Use suggested dilution ratio to decide dilution procedure.
Purification	Protein G affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western Blot (1:500). Detects bands of ~90kDa (full length protein) and ~50kDa (cleaved protein) by Western blot. Suggested dilutions/conditions may not be available for all applications. Optimal conditions must be determined individually for each application.











Anti-PIDD PIDD1 Antibody (Monoclonal, Anto-1) (M10708) Images



Endogenous human PIDD was detected in paraffinembedded sections of human bronchus (A), kidney (B), lung (C) normal tissues and Breast (D), Ovarian (E), Colo-rectal (F) cancer tissues using mouse anti-PIDD monoclonal antibody (Catalog # M10708). The immunohistochemical sections were developed using SABC method (Catalog # SA1021).



Western blot analysis of endogenous and overexpressed human PIDD in Cell lysates from HEK 293T wild type (lane 1) and transfected with a plasmid coding for human PIDD (lane 2). PIDD at 90kDa (full length protein) and 50kDa (cleaved protein) were detected using mouse anti-PIDD monoclonal antibody (Catalog # M10708) at 1:500. The blot was developed using chemiluminescence (ECL) method (Catalog # EK1001).

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-PIDD PIDD1 Antibody (Monoclonal, Anto-1)