

Anti-Phospho-Brk (Tyr447) Polyclonal Antibody

Catalog Number: P01881

About PTK6

Transcription factor involved in the regulation of the insulin signaling pathway. Binds to insulin-response elements (IREs) and can activate transcription of IGFBP1. Down-regulates expression of HIF1A and suppresses hypoxia-induced transcriptional activation of HIF1A-modulated genes. Also involved in negative regulation of the cell cycle.

Di Maira G, et al. (2005) Cell Death Differ; 12(6): 668-77.

Essers MA, et al. EMBO J 2004 Nov. 11.

Brownawell AM, (2001) Mol Cell Biol; 21(10): 3534-46. Kops GJ, et al. (1999) Nature; 398(6728): 630-4.

Overview

Product Name	Anti-Phospho-Brk (Tyr447) Polyclonal Antibody
Reactive Species	Human
Description	Boster Bio Anti-Phospho-Brk (Tyr447) Polyclonal Antibody (Catalog # P01881). Tested in WB, IF, ELISA applications. This antibody reacts with Human.
Application	ELISA, IF, WB
Clonality	Polyclonal
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q13882

Technical Details

Immunogen	Synthesized peptide derived from human Brk around the phosphorylation site of Y447.
Predicted Reactive Species	Bovine, Chicken, Xenopus Laevis, Xenopus Tropicalis, Zebrafish
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitopespecific immunogen.




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blotting: 1/500 - 1/2000 Immunofluorescence: 1/200 - 1/1000 ELISA: 1/5000 Not yet tested in other applications.	
---------------------	--	--



Anti-Phospho-Brk (Tyr447) Polyclonal Antibody (P01881) Images



Western Blot analysis of 293 cells using Phospho-Brk (Y447) Polyclonal antibody

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Phospho-Brk (Tyr447) Polyclonal Antibody