

Anti-Phospho-Net (Ser357) Polyclonal Antibody

Catalog Number: P06026

About ELK3

Responds to activation by environmental stress and pro-inflammatory cytokines by phosphorylating a number of transcription factors, primarily components of AP-1 such as c-Jun and ATF2 and thus regulates AP-1 transcriptional activity. In T-cells, JNK1 and JNK2 are required for polarized differentiation of T-helper cells into Th1 cells.

Ferrer, et al. (2003) Neuropathology & Applied Neurobiology 29: 23 Zhonghong Guan, et al. (1999) J Biol Chem, Vol. 274: 36200-36206 D.Margriet Ouwens1, et al. (2002) The EMBO Journal 21: 3782

Overview

Product Name	Anti-Phospho-Net (Ser357) Polyclonal Antibody
Reactive Species	Human, Monkey, Mouse
Description	Boster Bio Anti-Phospho-Net (Ser357) Polyclonal Antibody (Catalog # P06026). Tested in WB, IHC, IF, ELISA applications. This antibody reacts with Human, Mouse, Monkey.
Application	ELISA, IF, IHC, WB
Clonality	Polyclonal
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage Instructions	Store at -20°C for one year. For short term storage and frequent use, store at 4°C for up to one month. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P41970

Technical Details

Immunogen	Synthesized peptide derived from human Net around the phosphorylation site of S357.
Predicted Reactive Species	Bovine, Chicken, Xenopus Laevis, Xenopus Tropicalis, Zebrafish
Form	Liquid
Concentration	1 mg/ml
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitopespecific immunogen.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this



BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

kit.
If the expected range of concentration is unknown, a pilot test should be conducted to decide the
optimal dilution ratio for your samples.

Some PubMed article(s) citing the expression level of this target are as follows:


Boster Bio's internal QC testing used: Western blotting: 1/500 - 1/2000 Immunohistochemistry: 1/100 - 1/300 Immunofluorescence: 1/200 - 1/1000

ELISA: 1/20000

Not yet tested in other applications.



Anti-Phospho-Net (Ser357) Polyclonal Antibody (P06026) Images



Western Blot analysis of COLO cells using Phospho-Net (S357) Polyclonal antibody

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Phospho-Net (Ser357) Polyclonal Antibody