

Anti-Histamine H3 receptor HRH3 Antibody

Catalog Number: PA1204

About HRH3


The histamine receptor H3 (HRH3) is a presynaptic autoreceptor on histamine neurons in the brain and a presynaptic heteroreceptor in nonhistamine-containing neurons in both the central and peripheral nervous systems. The deduced 445-amino acid HRH3 protein contains 7 predicted transmembrane domains. And it shares 22% and 21.4% amino acid sequence homology with the H1 (HRH1) and H2 (HRH2) receptors, respectively. The expression of recombinant HRH3 in a variety of cell lines conferred an ability to inhibit adenylate cyclase in response to histamine, but not to acetylcholine or any other biogenic amine. Additionally, HRH3 was most notably observed throughout the thalamus, the ventromedial hypothalamus, and the caudate nucleus. Strong expression was also seen in layers II, V, and VIb of the cerebral cortex, in the pyramidal layers of the hippocampus, and in olfactory tubercle.

Overview

Product Name	Anti-Histamine H3 receptor HRH3 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Histamine H3 receptor HRH3 Antibody catalog # PA1204. Tested in WB applications. This antibody reacts with Human, Mouse, Rat.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q9Y5N1

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human HRH3, different from the related rat sequence by three amino acids.
Predicted Reactive Species	Bovine
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG





888-466-3604 | support@bosterbio.com | www.bosterbio.com

Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blot, 0.1-0.5ug/ml, Human, Rat, Mouse



Anti-Histamine H3 receptor HRH3 Antibody (PA1204) Images




Figure 1. Western blot analysis of HRH3 using anti-HRH3 antibody (PA1204).

Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 50ug of sample under reducing conditions.

Lane 1: human U-87MG whole cell lysates

Lane 2: human SHG-44 whole cell lysates

Lane 3: mouse RAW246.7 whole cell lysates

After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes. Blocked the membrane with 5% Non-fat Milk/ TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-HRH3 antigen affinity purified polyclonal antibody (Catalog # PA1204) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for HRH3 at approximately 49KD. The expected band size for HRH3 is at 49KD.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Histamine H3 receptor HRH3 Antibody