

Anti-liver FABP/FABP1 Antibody

Catalog Number: PA1229-1

About FABP1

Fatty acid binding protein 1, liver, also known as FABP1 or FABPL, is a human gene locating at 2p11. FABP1 encodes the fatty acid binding protein found in liver. Fatty acid binding proteins are a family of small, highly conserved, cytoplasmic proteins that bind free fatty acids, their CoA derivatives, bilirubin, organic anions, and other small molecules. FABP1 and FABP6 (the ileal fatty acid binding protein) are also able to bind bile acids. It is thought that FABPs roles include fatty acid uptake, transport, and metabolism. The liver form of FABP may be identical to the major liver protein-1 (Lvp-1), which is encoded by a gene situated within 1 cM of Ly-2.

Overview


Product Name	Anti-liver FABP/FABP1 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-liver FABP/FABP1 Antibody catalog # PA1229-1. Tested in IHC, WB applications. This antibody reacts with Human, Mouse, Rat.
Application	IHC, WB
Clonality	Polyclonal
Formulation	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05 mg NaN ₃ .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P07148

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human liver FABP, different from the related mouse sequence by two amino acids.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot, and HRP Conjugated anti-Rabbit IgG Super Vision Assay Kit (SV0002-1) for IHC(P).
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.


Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Immunohistochemistry (Paraffin-embedded Section), 0.5-1ug/ml, Mouse, Rat, Human, By Heat Western blot, 0.1-0.5ug/ml, Human, Mouse, Rat

Anti-liver FABP/FABP1 Antibody (PA1229-1) Images




Anti-liver FABP antibody, PA1229-1, Western blotting

Lane 1: Rat Liver Tissue Lysate
Lane 2: Rat Kidney Tissue Lysate
Lane 3: HELA Cell Lysate
Lane 4: NEURO Cell Lysate
Lane 5: SMMC Cell Lysate



Anti-liver FABP antibody, PA1229-1, IHC(P)
IHC(P): Rat Liver Tissue



Anti-liver FABP antibody, PA1229-1, IHC(P)
IHC(P): Human Liver Cancer Tissue

1 Publications Citing This Product

1. PubMed ID: 33819629, Huang Y,Zhao C,Kong Y,Tan P,Liu S,Liu Y,Zeng F,Yuan Y,Zhao B,Wang J.Elucidation of the mechanism of NEFA-induced PERK-eIF2alpha signaling pathway regulation of lipid metabolism in bovine hepatocytes.J Steroid Biochem Mol Biol.2021 Apr 2:105893.doi:10.1016/j.jsbmb.2021.105893.Epub ahead of print.PMID:33819629.

Visit bosterbio.com/anti-liver-fabp-antibody-pa1229-1-boster.html to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

