

Anti-Livin/BIRC7 Antibody

Catalog Number: PA1427

About BIRC7

Baculoviral IAP repeat-containing protein 7 is a protein that in humans is encoded by the BIRC7 gene. This protein is a member of the family of inhibitor of apoptosis proteins (IAP) and contains a single copy of a baculovirus IAP repeat (BIR) and a RING finger motif. Its gene is mapped to 20q13.3. It has got 280- and 298- amino acids. The protein is highly expressed in melanomas while lowly expressed in some lymphomas, fetal kidney, fetal liver, testis and thymus. BIRC7 plays a vital role in blocking apoptosis induced.

Overview

Product Name	Anti-Livin/BIRC7 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Livin/BIRC7 Antibody catalog # PA1427. Tested in IHC, WB applications. This antibody reacts with Human, Mouse, Rat.
Application	IHC, WB
Clonality	Polyclonal G9
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q96CA5

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human Livin HTGHQDKVRCFFCYGGLQ), different from the mouse sequence by one amino acid.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot, and HRP Conjugated anti-Rabbit IgG Super Vision Assay Kit (SV0002-1) for IHC(P).
Cross Reactivity	No cross reactivity with other proteins
Form	Lyophilized
Concentration	Add 0.2ml of distilled water will yield a concentration of 500ug/ml.
Purification	Immunogen affinity purified.

Suggested Dilutions

Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.


If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.

Some PubMed article(s) citing the expression level of this target are as follows:


Boster Bio's internal QC testing used:

Immunohistochemistry (Paraffin-embedded Section), 0.5-1ug/ml, Human, By Heat
Western blot, 0.1-0.5ug/ml, Human, Rat, Mouse

Anti-Livin/BIRC7 Antibody (PA1427) Images



Anti-Livin antibody, PA1427, Western blotting
Lane 1: HT1080 Cell Lysate
Lane 2: SW620 Cell Lysate



Anti-Livin antibody, PA1427, IHC(P)
IHC(P): Human Mammary Cancer Tissue

1 Publications Citing This Product

1. PubMed ID: 28300775, Wei H, Gao Z, Zheng L, Zhang C, Liu Z, Yang Y, Teng H, Hou L, Yin Y, Zou X0. Mar Drugs. 2017 Mar 16;15(3). pii: E77. doi: 10.3390/md15030077. Protective Effects of Fucoindan on Abeta25-35 and d-Gal-Induced Neurotoxicity in PC12 Cells and d-Gal-Induced...

Visit bosterbio.com/anti-livin-antibody-pa1427-boster.html to see all 1 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-Livin/BIRC7 Antibody