

Anti-Fibroblast growth factor 10 FGF10 Antibody

Catalog Number: PA1454

About FGF10

FGF 10, Fibroblast growth factor 10, is a protein that in humans is encoded by the FGF10 gene. The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF 10 contains 3 exons and spans at least 52.7 kb. By radioactive in situ hybridization, the FGF 10 gene is mapped to 5p13-p12. This protein exhibits mitogenic activity for keratinizing epidermal cells, but essentially no activity for fibroblasts. FGF 10 translocated into urothelial cell nuclei and initiated a signaling cascade that began with the heparin-dependent tyrosine phosphorylation of surface transmembrane receptors.

Overview

Product Name	Anti-Fibroblast growth factor 10 FGF10 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-Fibroblast growth factor 10 FGF10 Antibody catalog # PA1454. Tested in WB applications. This antibody reacts with Human, Mouse, Rat.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O15520

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human FGF10, different from the related mouse and rat sequence by two amino acids.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blot, 0.1-0.5ug/ml, Human, Rat, Mouse



Anti-Fibroblast growth factor 10 FGF10 Antibody (PA1454) Images



Anti-FGF10 antibody, PA1454, Western blotting

Lane 1: U87 Cell Lysate Lane 2: HELA Cell Lysate Lane 3: A519 Cell Lysate Lane 4: 293T Cell Lysate Lane 5: HELA Cell Lysate

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Fibroblast growth factor 10 FGF10 Antibody