

Anti-IGFBP3 Antibody

Catalog Number: PA1498

About IGFBP3

IGFBP3, Insulin-like growth fator-binding protein 3, is a member of the insulin-like growth factor binding protein (IGFBP) family and encodes a protein with an IGFBP domain and a thyroglobulin type-I domain. IGFBP3 is located on chromosome 7. The protein forms a ternary complex with insulin-like growth factor acid-labile subunit (IGFALS) and either insulin-like growth factor (IGF) I or II. In this form, it circulates in the plasma, prolonging the half-life of IGFs and altering their interaction with cell surface receptors. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.

Overview

Product Name	Anti-IGFBP3 Antibody
Reactive Species	Human, Rat
Description	Boster Bio Anti-IGFBP3 Antibody catalog # PA1498. Tested in WB applications. This antibody reacts with Human, Rat.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P17936

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence in the middle region of human IGFBP-3.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blot, 0.1-0.5ug/ml, Human, Rat



Anti-IGFBP3 Antibody (PA1498) Images



Anti-IGFBP-3 antibody, PA1498, Western blotting All lanes: Anti IGFBP-3 (PA1498) at 0.5ug/ml Lane 1: 293T Whole Cell Lysate at 40ug Lane 2: MCF-7 Whole Cell Lysate at 40ug Lane 3: A549 Whole Cell Lysate at 40ug

Lane 4: SW620 Whole Cell Lysate at 40ug

Predicted bind size: 32KD Observed bind size: 40KD




Figure 2. Western blot analysis of IGFBP3 using anti-IGFBP3 antibody (PA1498).

Electrophoresis was performed on a 5-20% SDS-PAGE gel at 70V (Stacking gel) / 90V (Resolving gel) for 2-3 hours. The sample well of each lane was loaded with 50ug of sample under reducing conditions.

Lane 1: rat liver tissue lysates, Lane 2: rat kidney tissue lysates, Lane 3: rat heart tissue lysates,

After Electrophoresis, proteins were transferred to a Nitrocellulose membrane at 150mA for 50-90 minutes. Blocked the membrane with 5% Non-fat Milk/ TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-IGFBP3 antigen affinity purified polyclonal antibody (Catalog # PA1498) at 0.5 ug/mL overnight at 4°C, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:10000 for 1.5 hour at RT. The signal is developed using an Enhanced Chemiluminescent detection (ECL) kit (Catalog # EK1002) with Tanon 5200 system. A specific band was detected for IGFBP3 at approximately 40KD. The expected band size for IGFBP3 is at 32KD.

3 Publications Citing This Product


1. PubMed ID: 24576658, Pu Xy, Wen Am, Liu Jm, Zheng Xg, Xiao Hj, Xu Zp, Wang Hp, Li D, Zhang Rl. J Urol. 2014 Sep;192(3):990-6. Doi: 10.1016/J.Juro.2014.02.042. Epub 2014 Feb 24. Shrna Constructs Targeting Igfbp-3 Alleviate Age Related Erectile Dysfunction In The Rat.

2. PubMed ID: 21595839, Pu Xy, Zheng Xg, Zhang Y, Xiao Hj, Xu Zp, Liu Jm, Wang Hp, Wen Am, Zhou Xx, Wu Yl. J Sex Med. 2011 Aug;8(8):2181-90. Doi: 10.1111/J.1743-6109.2011.02318.X. Epub 2011 May 19. Higher Expression Of Mrna And Protein Of Insulin-Like Growth Factor Bindi...

3. PubMed ID: 28760781, Correlation between insulin%u2011like growth factor binding protein 3 and metastasis%u2011associated gene 1 protein in esophageal squamous cell carcinoma

Visit <u>bosterbio.com/anti-igfbp-3-antibody-pa1498-boster.html</u> to see all 3 publications.

Submit a product review to Biocompare.com







Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.





Anti-IGFBP3 Antibody