

Anti-Interleukin-4 IL4 Antibody

Catalog Number: PA1529

About II4

Interleukin-4 (IL-4), also knowns as a B-cell stimulatory factor 1 (BSF1), is an immunomodulatory cytokine, which can inhibit the growth of tumour cells. The human cDNA contains a single open reading frame encoding a protein of 153 amino acids, including a putative signal peptide. IL-4 may act as an autocrine growth factor in pancreatic cancer cells and also give rise to the possibility that cancer-derived IL-4 may suppress cancer-directed immunosurveillance in vivo, in addition to its growth-promoting effects, thereby facilitating pancreatic tumor growth and metastasis. The mouse and human genes and their protein products show structural and functional similarities. The human IL-4 gene, which occurs as a single copy in the haploid genome, is mapped on chromosome 5.2 The standard product used in this kit is recombinant human IL-4, consisting of 130 amino acids with the molecular mass of 14KDa.

Overview

Product Name	Anti-Interleukin-4 IL4 Antibody
Reactive Species	Mouse
Description	Boster Bio Anti-Interleukin-4 IL4 Antibody catalog # PA1529. Tested in WB applications. This antibody reacts with Mouse.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P07750

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of mouse IL-4.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized






BOSTER
antibody and ELISA experts

Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blot, 0.1-0.5ug/ml, Mouse



Anti-Interleukin-4 IL4 Antibody (PA1529) Images



Anti-IL-4 antibody, PA1529, Western blotting Lane 1: Recombinant Mouse IL-4 Protein 10ng Lane 2: Recombinant Mouse IL-4 Protein 5ng Lane 3: Recombinant Mouse IL-4 Protein 2.5ng

4 Publications Citing This Product

- 1. PubMed ID: 23065188, Wang Yz, Feng Xg, Shi Qg, Hao Yl, Yang Y, Zhang Am, Kong Qx. Inflammation. 2013 Apr;36(2):337-45. Doi: 10.1007/S10753-012-9551-5. Silencing Of Mir155 Promotes The Production Of Inflammatory Mediators In Guillain-Barr?? Syndrome In Vitro.
- 2. PubMed ID: 23011634, Tan Y, Liu H, Yang H, Wang L, Qin X. J Physiol Sci. 2013 Jan;63(1):63-9. Doi: 10.1007/S12576-012-0231-X. Epub 2012 Sep 26. An Inactivated Pseudomonas Aeruginosa Medicament Inhibits Airway Allergic Inflammation And Improves Epithelial Functions.
- 3. PubMed ID: 25483698, Yan X, Wang D, Liang F, Fu L, Guo C. Hum Vaccin Immunother. 2014;10(12):3491-8. Doi: 10.4161/Hv.36084. Hpv16L1-Attenuated Shigella Recombinant Vaccine Induced Strong Vaginal And Systemic Immune Responses In Guinea Pig Model.

Visit bosterbio.com/anti-il-4-antibody-pa1529-boster.html to see all 4 publications.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-Interleukin-4 IL4 Antibody