

Anti-DR5/TNFRSF10B Antibody

Catalog Number: PA1842

About TNFRSF10B

TNFRSF10B (Tumor necrosis factor receptor superfamily, member 10b) is a human gene. It is also known as DR5, CD262, KILLER, TRICK2, TRICKB, ZTNFR9, TRAILR2, TRICK2A, TRICK2B, TRAIL-R2, KILLER/DR5. The protein encoded by this gene is a member of the TNF-receptor superfamily, and contains an intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces apoptosis signal. Mice have a homologous gene, tnfrsf10b, that has been essential in the elucidation of the function of this gene in humans. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. By analysis of radiation hybrid panels, Walczak et al. (1997) mapped the TRAILR2 gene to chromosome 8p22-p21. Northern blot analysis indicated that TRAILR2 was expressed as a 4.4-kb mRNA in all tissues tested, with the highest levels of expression in peripheral blood lymphocytes, spleen, and ovary.

Overview


Product Name	Anti-DR5/TNFRSF10B Antibody
Reactive Species	Human
Description	Boster Bio Anti-DR5/TNFRSF10B Antibody catalog # PA1842. Tested in IHC, WB applications. This antibody reacts with Human.
Application	IHC, WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O14763

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the C-terminus of human DR5.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot, and HRP Conjugated anti-Rabbit IgG Super Vision Assay Kit (SV0002-1) for IHC(P).
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG

Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	<p>Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.</p> <p>If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.</p> <p>Some PubMed article(s) citing the expression level of this target are as follows:</p> <p>Boster Bio's internal QC testing used:</p> <p>Immunohistochemistry (Paraffin-embedded Section), 0.5-1ug/ml, Human, By Heat</p> <p>Western blot, 0.1-0.5ug/ml, Human</p>

Anti-DR5/TNFRSF10B Antibody (PA1842) Images




Anti-DR5 antibody, PA1842, Western blotting

Lane 1: HELA Cell Lysate

Lane 2: MM231 Cell Lysate

Lane 3: SGC Cell Lysate

Lane 4: HT1080 Cell Lysate



Anti-DR5 antibody, PA1842, IHC(P)

IHC(P): Human Lung Cancer Tissue

2 Publications Citing This Product

1. PubMed ID: 20714870, Li J, Shen Q, Peng R, Chen R, Jiang P, Li Y, Zhang L, Lu J. J Huazhong Univ Sci Technolog Med Sci. 2010 Aug;30(4):458-63. Doi: 10.1007/S11596-010-0449-X. Epub 2010 Aug 17. Plumbagin Enhances Trail-Mediated Apoptosis Through Up-Regulation Of Death ...

2. PubMed ID: 24970806, Liu N, Zuo C, Wang X, Chen T, Yang D, Wang J, Zhu H. Oncotarget. 2014 Jul 15;5(13):4959-71. Mir-942 Decreases Trail-Induced Apoptosis Through Isg12A Downregulation And Is Regulated By Akt.

Visit bosterbio.com/anti-dr5-antibody-pa1842-boster.html to see all 2 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-DR5/TNFRSF10B Antibody