

Anti-GATA2 Antibody

Catalog Number: PA1884

About GATA2

GATA2 (GATA binding protein 2) is a human gene which makes a protein called GATA binding protein 2 - a transcription factor. The GATA family of transcription factors, which contain zinc fingers in their DNA binding domain, have emerged as candidate regulators of gene expression in hematopoietic cells. Ciciotte et al. (1997) mapped the mouse Gata2 gene to chromosome 6 by study of DNA from an interspecific backcross panel. They pointed out that the human gene had been mapped to chromosome 3 by Dorfman et al. (1992) using DNA from a panel of 12 rodent/human hybrids containing various human chromosomes and applying Southern blot analysis. By exon trapping using a PAC contig spanning a breakpoint region associated with myeloid leukemia, Wieser et al. (2000) mapped the GATA2 gene to chromosome 3q21. GATA2 is transcribed from telomere to centromere. GATA2 is expressed in hematopoietic progenitors, including early erythroid cells, mast cells, and megakaryocytes, and also in nonhematopoietic embryonic stem cells.

Overview


Product Name	Anti-GATA2 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-GATA2 Antibody catalog # PA1884. Tested in WB applications. This antibody reacts with Human, Mouse, Rat.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P23769

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human GATA2, identical to the related rat and mouse sequences.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG

Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	<p>Dilute the sample so that the expected range of concentrations fall within the detection range of this kit.</p> <p>If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples.</p> <p>Some PubMed article(s) citing the expression level of this target are as follows:</p> <p>Boster Bio's internal QC testing used:</p> <p>Western blot, 0.1-0.5ug/ml, Human, Rat, Mouse</p>

Anti-GATA2 Antibody (PA1884) Images



Anti-GATA2 antibody, PA1884, Western blotting
Recombinant Protein Detection Source: E.coli derived
-recombinant Human GATA2, 38.3KD (162aa tag+ M1-G200)
Lane 1: Recombinant Human GATA2 Protein 10ng
Lane 2: Recombinant Human GATA2 Protein 5ng
Lane 3: Recombinant Human GATA2 Protein 2.5ng

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-GATA2 Antibody