

Anti-CD11b/ITGAM Antibody

Catalog Number: PA1943-1

About ITGAM

ITGAM (Integrin Alpha-M), also called CD11B or Mo1 ALPHA SUBUNIT (MO1A), is one protein subunit that forms the heterodimeric integrin alpha-M beta-2 (alphaMbeta2) molecule. A major surface antigen family on human leukocytes includes complement receptor type 3 (CR3A; also called ITGAM, Mac1, or Mo1), lymphocyte function-associated (LFA) antigen type 1 (ITGAL), and p150, 95 (ITGAX). By in situ hybridization, Corbi et al. (1988) demonstrated that the genes encoding the alpha subunits of LFA1 (ITGAL), Mac1, and p150, 95 (ITGAX), all of which are involved in leukocyte adhesion, constitute a cluster on 16p13.1-p11. Callen et al. (1991) narrowed the assignment to 16p11.2. Inflammation plays an essential role in the initiation and progression of atherosclerosis. Simon et al. (2000) presented evidence that it also has a role in vascular repair after mechanical arterial injury (i.e., percutaneous transluminal coronary angioplasty, or PTCA).

Overview

Product Name	Anti-CD11b/ITGAM Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-CD11b/ITGAM Antibody catalog # PA1943-1. Tested in WB applications. This antibody reacts with Human, Mouse, Rat.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	P11215

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of human CD11b, different from the related mouse sequence by one amino acid, and from the related rat sequence by three amino acids.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG






BOSTER
antibody and ELISA experts

Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.
Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blot, 0.1-0.5ug/ml, Human, Mouse, Rat



Anti-CD11b/ITGAM Antibody (PA1943-1) Images



Anti-CD11b antibody, PA1943-1, All Western blotting

All lanes: Anti-ITGAM(PA1943-1) at 0.5ug/ml Lane 1: JURKAT Whole Cell Lysate at 40ug Lane 2: RAJI Whole Cell Lysate at 40ug

Predicted bind size: 127KD Observed bind size: 170KD

7 Publications Citing This Product

1. PubMed ID: 25691929, Mu L, Jing C, Guo Z. Iran J Basic Med Sci. 2014 Nov;17(11):874-8. Expressions Of Cd11A, Cd11B, And Cd11C Integrin Proteins In Rats With Myocardial Hypertrophy.

2. PubMed ID: 23158928, Zhao G, Wang S, Wang Z, Sun A, Yang X, Qiu Z, Wu C, Zhang W, Li H, Zhang Y, Zhao J, Zou Y, Ge J. Int J Cardiol. 2013 Sep 30;168(2):853-62. Doi: 10.1016/J.ljcard.2012.10.022. Epub 2012 Nov 13. Cxcr6 Deficiency Ameliorated Myocardial Ischemia/Reperf...

3. PubMed ID: 25491263, Ren B, Zhang Yx, Zhou Hx, Sun Fw, Zhang Zf, Wei Z, Zhang Cy, Si Dw. J Neurol Sci. 2015 Jan 15;348(1-2):142-52. Doi: 10.1016/J.Jns.2014.11.026. Epub 2014 Nov 28. Tanshinone lia Prevents The Loss Of Nigrostriatal Dopaminergic Neurons By Inhibiting N...

Visit bosterbio.com/anti-cd11b-antibody-pa1943-1-boster.html to see all 7 publications.

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-CD11b/ITGAM Antibody