

Anti-P2X purinoceptor 7 P2RX7 Antibody

Catalog Number: PA2129

About P2rx7

P2X purinoceptor 7, also called P2X7, is a protein that in humans is encoded by the P2RX7 gene. The product of this gene belongs to the family of purnoceptors for ATP. P2RX7 was mapped to chromosome 12q24 by fluorescence in situ hybridization. It is a receptor for ATP that acts as a ligand-gated ion channel. This gene is responsible for ATP-dependent lysis of macrophages through the formation of membrane pores permeable to large molecules. It could function in both fast synaptic transmission and the ATP-mediated lysis of antigen-presenting cells.

Overview

Product Name	Anti-P2X purinoceptor 7 P2RX7 Antibody
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-P2X purinoceptor 7 P2RX7 Antibody catalog # PA2129. Tested in WB applications. This antibody reacts with Human, Mouse, Rat.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	Q64663

Technical Details

Immunogen	A synthetic peptide corresponding to a sequence at the N-terminus of rat P2RX7, different from the related mouse sequence by one amino acid, and from the related human sequence by two amino acids.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.




BOSTER BIOLOGICAL TECHNOLOGY 3942 B Valley Ave, Pleasanton, CA 94566

888-466-3604 | support@bosterbio.com | www.bosterbio.com

Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blot, 0.1-0.5ug/ml, Human, Rat, Mouse



Anti-P2X purinoceptor 7 P2RX7 Antibody (PA2129) Images



Anti-P2RX7 antibody, PA2129, Western blotting WB: U87 Cell Lysate

Submit a product review to Biocompare.com





Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.

Anti-P2X purinoceptor 7 P2RX7 Antibody