

Anti-PSCA Antibody Picoband™

Catalog Number: PB9351

About PSCA

PSCA is also known as PRO232. This gene encodes a glycosylphosphatidylinositol-anchored cell membrane glycoprotein. In addition to being highly expressed in the prostate it is also expressed in the bladder, placenta, colon, kidney, and stomach. This gene is up-regulated in a large proportion of prostate cancers and is also detected in cancers of the bladder and pancreas. This gene includes a polymorphism that results in an upstream start codon in some individuals; this polymorphism is thought to be associated with a risk for certain gastric and bladder cancers. Alternative splicing results in multiple transcript variants.

Overview

Product Name	Anti-PSCA Antibody Picoband™
Reactive Species	Human, Mouse, Rat
Description	Boster Bio Anti-PSCA Antibody Picoband™ catalog # PB9351. Tested in WB applications. This antibody reacts with Human, Mouse, Rat.
Application	WB
Clonality	Polyclonal
Formulation	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg NaN ₃ .
Storage Instructions	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.
Host	Rabbit
Uniprot ID	O43653

Technical Details

Immunogen	E.coli-derived human PSCA recombinant protein (Position: L21-S95). Human PSCA shares 66% amino acid (aa) sequence identity with mouse PSCA.
Predicted Reactive Species	Hamster
Recommended Detection Systems	Boster recommends Enhanced Chemiluminescent Kit with anti-Rabbit IgG (EK1002) for Western blot.
Cross Reactivity	No cross-reactivity with other proteins.
Isotype	Rabbit IgG
Form	Lyophilized
Concentration	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml.

Purification	Immunogen affinity purified.
Suggested Dilutions	Dilute the sample so that the expected range of concentrations fall within the detection range of this kit. If the expected range of concentration is unknown, a pilot test should be conducted to decide the optimal dilution ratio for your samples. Some PubMed article(s) citing the expression level of this target are as follows: Boster Bio's internal QC testing used: Western blot, 0.1-0.5ug/ml, Mouse, Rat, Human

Anti-PSCA Antibody Picoband™ (PB9351) Images



Anti-PSCA Picoband antibody, PB9351, Western blotting
All lanes: Anti PSCA (PB9351) at 0.5ug/ml
Lane 1: Rat Stomach Tissue Lysate at 50ug
Lane 2: Mouse Stomach Tissue Lysate at 50ug
Predicted bind size: 13KD
Observed bind size: 25KD

2 Publications Citing This Product

1. PubMed ID: 21429770, Zhao Z, Ma W, Zeng G, Qi D, Ou L, Liang Y. Urol Oncol. 2013 Apr;31(3):343-51. Doi: 10.1016/J.Urolonc.2011.02.004. Epub 2011 Mar 23. Small Interference Rna-Mediated Silencing Of Prostate Stem Cell Antigen Attenuates Growth, Reduces Migration And In...
2. PubMed ID: 27001215, PSCA rs2294008 polymorphism contributes to the decreased risk for cervical cancer in a Chinese population

Visit bosterbio.com/anti-psca-picoband-trade-antibody-pb9351-boster.html to see all 2 publications.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon.com giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Anti-PSCA Antibody™