

Human recombinant Galectin-1 protein, AF

Catalog Number: PROTP09382-3

Overview

Product Name	Human recombinant Galectin-1 protein, AF
Description	Galectin-1 (Gal-1) is a lectin family member. Galectin-1 contains one carbohydrate recognition domain (CRD), responsible for beta-galactoside binding, and is biologically active as homodimers. Several binding partners for galectin-1 have been identified, including CD45, CD43, CD69, pre-BCR, and vascular endothelial Growth Factors R2. Galectin-1 is constitutively presented in the immune system and other tissues, contributing to cell growth, proliferation, and apoptosis. The galectin-1 plays a central role in regulating acute and chronic inflammatory responses.
Size	5ug,20ug,100ug
Tag	His Tag (N-term)
Form	Lyophilized
Source	Escherichia coli
Formulation	The protein was lyophilized from a 0.2 um filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.

Storage

Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to 8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at -20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.

Purity

>98% as determined by SDS-PAGE.

Molecular weight

The protein has a calculated MW of 15.5 kDa. The protein migrates as 15 kDa under reducing condition (SDS-PAGE analysis).

Activity

Measured by its ability to agglutinate human red blood cells. The ED ${\ensuremath{\mathbb{Z}}}$ for this effect is <2 ug/mL.

Endotoxin

< 0.1 EU per 1 ug of the protein by the LAL method.







Amino Acid Sequence

ACGLVASNLNLKPGECLRVRGEVAPDAKSFVLNLGKDSNNLCLHFNPRFNAHGDANTIVCNSKDGGAWGTEQREAVFPFQPGSVAEVCITFDQANLT VKLPDGYEFKFPNRLNLEAINYMAADGDFKIKCVAFD with polyhistidine tag at the N-terminus.

Reconstitution

Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the lyophilized protein in sterile H20 to a concentration not less than 100 ug/mL and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved. Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.



Usage

Boster's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.





Human recombinant Galectin-1 protein, AF